

# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
2AGE1	1	2		50	6	●	B-97
2SGE1	1	2		50	6	□	B-108
2DLCHE1	1	2		50	6	●	B-116
2GE1	1	2		50	6	●	B-117
2NAC1	1	2		50	6	●	B-123
2SE1	1	2		50	6	●	B-125
2AGEM1	1	3		50	6	●	B-99
2MGE1	1	3		50	6	●	B-119
2AGE1.1	1.1	2.5		50	6	●	B-97
2SGE1.1	1.1	2.5		50	6	□	B-108
2GE1.1	1.1	2.5		50	6	●	B-117
2NAC1.1	1.1	2.5		50	6	●	B-123
2AGE1.2	1.2	2.5		50	6	●	B-97
2SGE1.2	1.2	2.5		50	6	□	B-108
2GE1.2	1.2	2.5		50	6	●	B-117
2NAC1.2	1.2	2.5		50	6	●	B-123
2AGE1.3	1.3	3		50	6	●	B-97
2SGE1.3	1.3	3		50	6	□	B-108
2GE1.3	1.3	3		50	6	●	B-117
2NAC1.3	1.3	3		50	6	●	B-123
2AGE1.4	1.4	3		50	6	●	B-97
2SGE1.4	1.4	3		50	6	□	B-108
2GE1.4	1.4	3		50	6	●	B-117
2NAC1.4	1.4	3		50	6	●	B-123
2AGE1.5	1.5	3		50	6	●	B-97
2SGE1.5	1.5	3		50	6	□	B-108
2DLCHE1.5	1.5	3		50	6	●	B-116
2GE1.5	1.5	3		50	6	●	B-117
2NAC1.5	1.5	3		50	6	●	B-123
2SE1.5	1.5	3		50	6	●	B-125
2AGEM1.5	1.5	4.5		50	6	●	B-99
2MGE1.5	1.5	4.5		50	6	●	B-119
2AGE1.6	1.6	3.5		50	6	●	B-97
2SGE1.6	1.6	3.5		50	6	□	B-108
2GE1.6	1.6	3.5		50	6	●	B-117
2NAC1.6	1.6	3.5		50	6	●	B-123
2AGE1.7	1.7	3.5		50	6	●	B-97
2SGE1.7	1.7	3.5		50	6	□	B-108
2GE1.7	1.7	3.5		50	6	●	B-117
2NAC1.7	1.7	3.5		50	6	●	B-123
2AGE1.8	1.8	4		50	6	●	B-97
2SGE1.8	1.8	4		50	6	□	B-108
2GE1.8	1.8	4		50	6	●	B-117
2NAC1.8	1.8	4		50	6	●	B-123
2AGE1.9	1.9	4		50	6	●	B-97
2SGE1.9	1.9	4		50	6	□	B-108
2GE1.9	1.9	4		50	6	●	B-117
2NAC1.9	1.9	4		50	6	●	B-123
2AGE2	2	4		50	6	●	B-97
2SGE2	2	4		50	6	●	B-108
2DLCHE2	2	4		50	6	●	B-116
2GE2	2	4		50	6	●	B-117
2NAC2	2	4		50	6	●	B-123
2AGEM2	2	7		50	6	●	B-99
2MSG2	2	7		50	6	●	B-109
2MGE2	2	7		50	6	●	B-119
2SE2	2	7		50	6	●	B-125
2AGE2.1	2.1	4.5		50	6	●	B-97
2SGE2.1	2.1	4.5		50	6	□	B-108

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
2GE2.1	2.1	4.5		50	6	●	B-117
2NAC2.1	2.1	4.5		50	6	●	B-123
4NAC2.1	2.1	7		50	6	□	B-130
2AGE2.2	2.2	4.5		50	6	●	B-97
2SGE2.2	2.2	4.5		50	6	□	B-108
2GE2.2	2.2	4.5		50	6	●	B-117
2NAC2.2	2.2	4.5		50	6	●	B-123
4NAC2.2	2.2	7		50	6	□	B-130
2AGE2.3	2.3	5		50	6	●	B-97
2SGE2.3	2.3	5		50	6	□	B-108
2GE2.3	2.3	5		50	6	●	B-117
2NAC2.3	2.3	5		50	6	●	B-123
4NAC2.3	2.3	7		50	6	□	B-130
2AGE2.4	2.4	5		50	6	●	B-97
2SGE2.4	2.4	5		50	6	□	B-108
2GE2.4	2.4	5		50	6	●	B-117
2NAC2.4	2.4	5		50	6	●	B-123
4NAC2.4	2.4	7		50	6	□	B-130
2AGE2.5	2.5	5		50	6	●	B-97
2SGE2.5	2.5	5		50	6	●	B-108
2DLCHE2.5	2.5	5		50	6	●	B-116
2GE2.5	2.5	5		50	6	●	B-117
2NAC2.5	2.5	5		50	6	●	B-123
2AGEM2.5	2.5	7		50	6	●	B-99
4AGE2.5	2.5	7		50	6	●	B-100
2MSG2.5	2.5	7		50	6	●	B-109
2MGE2.5	2.5	7		50	6	●	B-119
4GE2.5	2.5	7		50	6	●	B-121
2SE2.5	2.5	7		50	6	●	B-125
4SE2.5	2.5	7		50	6	●	B-128
4NAC2.5	2.5	7		50	6	●	B-130
2AGE2.6	2.6	5.5		50	6	●	B-97
2SGE2.6	2.6	5.5		50	6	□	B-108
2GE2.6	2.6	5.5		50	6	●	B-117
2NAC2.6	2.6	5.5		50	6	●	B-123
4NAC2.6	2.6	9		50	6	□	B-130
2AGE2.7	2.7	5.5		50	6	●	B-97
2SGE2.7	2.7	5.5		50	6	□	B-108
2GE2.7	2.7	5.5		50	6	●	B-117
2NAC2.7	2.7	5.5		50	6	●	B-123
4NAC2.7	2.7	9		50	6	□	B-130
2AGE2.8	2.8	6		50	6	●	B-97
2SGE2.8	2.8	6		50	6	□	B-108
2GE2.8	2.8	6		50	6	●	B-117
2NAC2.8	2.8	6		50	6	●	B-123
4NAC2.8	2.8	9		50	6	□	B-130
2AGE2.9	2.9	6		50	6	●	B-97
2SGE2.9	2.9	6		50	6	□	B-108
2GE2.9	2.9	6		50	6	●	B-117
2NAC2.9	2.9	6		50	6	●	B-123
4NAC2.9	2.9	9		50	6	□	B-130
2AGE3	3	6		50	6	●	B-97
2SGE3	3	6		50	6	●	B-108
2DLCHE3	3	6		50	6	●	B-116
2GE3	3	6		50	6	●	B-117
3GE3	3	6		50	6	●	B-120
GHKEY3	3	6		50	6	●	B-120
GKKEY3	3	6		50	6	●	B-120
GLKEY3	3	6		50	6	●	B-120

# ハイスエンドミル スクエア

# 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
2NAC3	3	6		50	6	●	B-123
3NAC3	3	6		50	6	●	B-128
2AGEM3	3	9		50	6	●	B-99
4AGE3	3	9		50	6	●	B-100
AGHV3	3	9		50	6	●	B-104
2MSGE3	3	9		50	6	●	B-109
4SGE3	3	9		50	6	●	B-110
SGHV3	3	9		50	6	●	B-114
2MGE3	3	9		50	6	●	B-119
4GE3	3	9		50	6	●	B-121
2SE3	3	9		50	6	●	B-125
4SE3	3	9		50	6	●	B-128
4NAC3	3	9		50	6	●	B-130
4HV3	3	9		50	6	●	B-134
2AGEL3	3	15		60	6	●	B-99
4AGEL3	3	15		60	6	●	B-101
AGLHV3	3	15		60	6	●	B-104
SL2SGE3	3	15		65	6	●	B-110
SL4SGE3	3	15		65	6	●	B-111
SGLHV3	3	15		60	6	●	B-115
SL2GE3	3	15		60	6	●	B-119
SL4GE3	3	15		60	6	●	B-122
SL2SE3	3	15		60	6	●	B-127
SL4SE3	3	15		60	6	●	B-131
SL4HV3	3	15		60	6	●	B-135
AGELHV3	3	20		70	6	□	B-105
2AGE3.1	3.1	6.5		50	6	●	B-97
2SGE3.1	3.1	6.5		50	6	□	B-108
2GE3.1	3.1	6.5		50	6	●	B-117
2NAC3.1	3.1	6.5		50	6	●	B-123
4NAC3.1	3.1	9		50	6	□	B-130
2AGE3.2	3.2	6.5		50	6	●	B-97
2SGE3.2	3.2	6.5		50	6	□	B-108
2GE3.2	3.2	6.5		50	6	●	B-117
2NAC3.2	3.2	6.5		50	6	●	B-123
4NAC3.2	3.2	9		50	6	□	B-130
2AGE3.3	3.3	7		50	6	●	B-97
2SGE3.3	3.3	7		50	6	□	B-108
2GE3.3	3.3	7		50	6	●	B-117
2NAC3.3	3.3	7		50	6	●	B-123
4NAC3.3	3.3	9		50	6	□	B-130
2AGE3.4	3.4	7		50	6	●	B-97
2SGE3.4	3.4	7		50	6	□	B-108
2GE3.4	3.4	7		50	6	●	B-117
2NAC3.4	3.4	7		50	6	●	B-123
4NAC3.4	3.4	9		50	6	□	B-130
2AGE3.5	3.5	8		60	8	●	B-97
2SGE3.5	3.5	8		60	8	●	B-108
2DLCHE3.5	3.5	8		60	8	●	B-116
2GE3.5	3.5	8		60	8	●	B-117
3GE3.5	3.5	8		60	8	●	B-120
2NAC3.5	3.5	8		60	8	●	B-123
3NAC3.5	3.5	8		60	8	●	B-128
2AGEM3.5	3.5	12		60	8	●	B-99
4AGE3.5	3.5	12		60	8	●	B-100
2MSGE3.5	3.5	12		60	8	●	B-109
4SGE3.5	3.5	12		60	8	●	B-110
2MGE3.5	3.5	12		60	8	●	B-119
4GE3.5	3.5	12		60	8	●	B-121

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
2SE3.5	3.5	12		60	8	●	B-125
4SE3.5	3.5	12		60	8	●	B-128
4NAC3.5	3.5	12		60	8	●	B-130
2AGE3.6	3.6	8		60	8	●	B-97
2SGE3.6	3.6	8		60	8	□	B-108
2GE3.6	3.6	8		60	8	●	B-117
2NAC3.6	3.6	8		60	8	●	B-123
4NAC3.6	3.6	12		60	8	□	B-130
2AGE3.7	3.7	8		60	8	●	B-97
2SGE3.7	3.7	8		60	8	□	B-108
2GE3.7	3.7	8		60	8	●	B-117
2NAC3.7	3.7	8		60	8	●	B-123
4NAC3.7	3.7	12		60	8	□	B-130
2AGE3.8	3.8	8		60	8	●	B-97
2SGE3.8	3.8	8		60	8	□	B-108
2GE3.8	3.8	8		60	8	●	B-117
2NAC3.8	3.8	8		60	8	●	B-123
4NAC3.8	3.8	12		60	8	□	B-130
2AGE3.9	3.9	8		60	8	●	B-97
2SGE3.9	3.9	8		60	8	□	B-108
2GE3.9	3.9	8		60	8	●	B-117
2NAC3.9	3.9	8		60	8	●	B-123
4NAC3.9	3.9	12		60	8	□	B-130
GHKEY4	4	7		60	8	●	B-120
GKKEY4	4	7		60	8	●	B-120
GLKEY4	4	7		60	8	●	B-120
2AGE4	4	8		60	8	●	B-97
2SGE4	4	8		60	8	●	B-108
2DLCHE4	4	8		60	8	●	B-116
2GE4	4	8		60	8	●	B-117
3GE4	4	8		60	8	●	B-120
2NAC4	4	8		60	8	●	B-123
3NAC4	4	8		60	8	●	B-128
2AGEM4	4	12		60	8	●	B-99
4AGE4	4	12		60	8	●	B-100
AGHV4	4	12		60	8	●	B-104
2MSGE4	4	12		60	8	●	B-109
4SGE4	4	12		60	8	●	B-110
SGHV4	4	12		60	8	●	B-114
2MGE4	4	12		60	8	●	B-119
4GE4	4	12		60	8	●	B-121
2SE4	4	12		60	8	●	B-125
2RSE4	4	12	45	6	●	B-126	
4SE4	4	12		60	8	●	B-128
4RSE4	4	12	45	6	●	B-129	
4NAC4	4	12		60	8	●	B-130
4HV4	4	12		60	8	●	B-134
2AGEL4	4	20		60	8	●	B-99
4AGEL4	4	20		60	8	●	B-101
AGLHV4	4	20		60	8	●	B-104
SL2SGE4	4	20		70	8	●	B-110
SL4SGE4	4	20		70	8	●	B-111
SGLHV4	4	20		60	8	●	B-115
SL2GE4	4	20		60	8	●	B-119
SL4GE4	4	20		60	8	●	B-122
SL2SE4	4	20		60	8	●	B-127
RSL2SE4	4	20		55	6	●	B-127
SL4SE4	4	20		60	8	●	B-131
RSL4SE4	4	20		55	6	●	B-132

# ハイスエンドミル スクエア

# 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
SL4HV4	4	20		60	8	●	B-135
AGELHV4	4	25		70	6	□	B-105
2AGE4.1	4.1	9		60	8	●	B-97
2SGE4.1	4.1	9		60	8	□	B-108
2GE4.1	4.1	9		60	8	●	B-117
2NAC4.1	4.1	9		60	8	●	B-123
4NAC4.1	4.1	15		60	8	□	B-130
2AGE4.2	4.2	9		60	8	●	B-97
2SGE4.2	4.2	9		60	8	□	B-108
2GE4.2	4.2	9		60	8	●	B-117
2NAC4.2	4.2	9		60	8	●	B-123
4NAC4.2	4.2	15		60	8	□	B-130
2AGE4.3	4.3	10		60	8	●	B-97
2SGE4.3	4.3	10		60	8	□	B-108
2GE4.3	4.3	10		60	8	●	B-117
2NAC4.3	4.3	10		60	8	●	B-123
4NAC4.3	4.3	15		60	8	□	B-130
2AGE4.4	4.4	10		60	8	●	B-97
2SGE4.4	4.4	10		60	8	□	B-108
2GE4.4	4.4	10		60	8	●	B-117
2NAC4.4	4.4	10		60	8	●	B-123
4NAC4.4	4.4	15		60	8	□	B-130
2AGE4.5	4.5	10		60	8	●	B-97
2SGE4.5	4.5	10		60	8	●	B-108
2DLCHE4.5	4.5	10		60	8	●	B-116
2GE4.5	4.5	10		60	8	●	B-117
3GE4.5	4.5	10		60	8	●	B-120
2NAC4.5	4.5	10		60	8	●	B-123
3NAC4.5	4.5	10		60	8	●	B-128
2AGEM4.5	4.5	15		60	8	●	B-99
4AGE4.5	4.5	15		60	8	●	B-100
2MSG4.5	4.5	15		60	8	●	B-109
4SGE4.5	4.5	15		60	8	●	B-110
2MGE4.5	4.5	15		60	8	●	B-119
4GE4.5	4.5	15		60	8	●	B-121
2SE4.5	4.5	15		60	8	●	B-125
4SE4.5	4.5	15		60	8	●	B-128
4NAC4.5	4.5	15		60	8	●	B-130
2AGE4.6	4.6	10		60	8	●	B-97
2SGE4.6	4.6	10		60	8	□	B-108
2GE4.6	4.6	10		60	8	●	B-117
2NAC4.6	4.6	10		60	8	●	B-123
4NAC4.6	4.6	15		60	8	□	B-130
2AGE4.7	4.7	10		60	8	●	B-97
2SGE4.7	4.7	10		60	8	□	B-108
2GE4.7	4.7	10		60	8	●	B-117
2NAC4.7	4.7	10		60	8	●	B-123
4NAC4.7	4.7	15		60	8	□	B-130
2AGE4.8	4.8	10		60	8	●	B-97
2SGE4.8	4.8	10		60	8	□	B-108
2GE4.8	4.8	10		60	8	●	B-117
2NAC4.8	4.8	10		60	8	●	B-123
4NAC4.8	4.8	15		60	8	□	B-130
2AGE4.9	4.9	10		60	8	●	B-97
2SGE4.9	4.9	10		60	8	□	B-108
2GE4.9	4.9	10		60	8	●	B-117
2NAC4.9	4.9	10		60	8	●	B-123
4NAC4.9	4.9	15		60	8	□	B-130
GHKEY5	5	8		60	8	●	B-120

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
GKKEY5	5	8		60	8	●	B-120
GLKEY5	5	8		60	8	●	B-120
2AGE5	5	10		60	8	●	B-97
2SGE5	5	10		60	8	●	B-108
2DLCHE5	5	10		60	8	●	B-116
2GE5	5	10		60	8	●	B-117
3GE5	5	10		60	8	●	B-120
2NAC5	5	10		60	8	●	B-123
3NAC5	5	10		60	8	●	B-128
2AGEM5	5	15		60	8	●	B-99
4AGE5	5	15		60	8	●	B-100
AGHV5	5	15		60	8	●	B-104
2MSG4.5	5	15		60	8	●	B-109
4SGE5	5	15		60	8	●	B-110
SGHV5	5	15		60	8	●	B-114
2MGE5	5	15		60	8	●	B-119
4GE5	5	15		60	8	●	B-121
2SE5	5	15		60	8	●	B-125
2RSE5	5	15		50	6	●	B-126
4SE5	5	15		60	8	●	B-128
4RSE5	5	15		50	6	●	B-129
4NAC5	5	15		60	8	●	B-130
4HV5	5	15		60	8	●	B-134
2AGEL5	5	25		65	8	●	B-99
4AGEL5	5	25		65	8	●	B-101
AGLHV5	5	25		65	8	●	B-104
SL2SGE5	5	25		75	8	●	B-110
SL4SGE5	5	25		75	8	●	B-111
SGLHV5	5	25		65	8	●	B-115
SL2GE5	5	25		65	8	●	B-119
SL4GE5	5	25		65	8	●	B-122
SL2SE5	5	25		65	8	●	B-127
RSL2SE5	5	25		60	6	●	B-127
SL4SE5	5	25		65	8	●	B-131
RSL4SE5	5	25		60	6	●	B-132
SL4HV5	5	25		65	8	●	B-135
AGELHV5	5	30		70	6	□	B-105
2AGE5.1	5.1	12		60	8	●	B-97
2SGE5.1	5.1	12		60	8	□	B-108
2GE5.1	5.1	12		60	8	●	B-117
2NAC5.1	5.1	12		60	8	●	B-123
4NAC5.1	5.1	15		60	8	□	B-130
2AGE5.2	5.2	12		60	8	●	B-97
2SGE5.2	5.2	12		60	8	□	B-108
2GE5.2	5.2	12		60	8	●	B-117
2NAC5.2	5.2	12		60	8	●	B-123
4NAC5.2	5.2	15		60	8	□	B-130
2AGE5.3	5.3	12		60	8	●	B-97
2SGE5.3	5.3	12		60	8	□	B-108
2GE5.3	5.3	12		60	8	●	B-117
2NAC5.3	5.3	12		60	8	●	B-123
4NAC5.3	5.3	15		60	8	□	B-130
2AGE5.4	5.4	12		60	8	●	B-97
2SGE5.4	5.4	12		60	8	□	B-108
2GE5.4	5.4	12		60	8	●	B-117
2NAC5.4	5.4	12		60	8	●	B-123
4NAC5.4	5.4	15		60	8	□	B-130
2AGE5.5	5.5	12		60	8	●	B-97
2SGE5.5	5.5	12		60	8	●	B-108

# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
2DLCHE5.5	5.5	12		60	8	●	B-116
2GE5.5	5.5	12		60	8	●	B-117
3GE5.5	5.5	12		60	8	●	B-120
2NAC5.5	5.5	12		60	8	●	B-123
3NAC5.5	5.5	12		60	8	●	B-128
2AGEM5.5	5.5	15		60	8	●	B-99
4AGE5.5	5.5	15		60	8	●	B-100
2MSGE5.5	5.5	15		60	8	●	B-109
4SGE5.5	5.5	15		60	8	●	B-110
2MGE5.5	5.5	15		60	8	●	B-119
4GE5.5	5.5	15		60	8	●	B-121
2SE5.5	5.5	15		60	8	●	B-125
4SE5.5	5.5	15		60	8	●	B-128
4NAC5.5	5.5	15		60	8	●	B-130
2AGE5.6	5.6	12		60	8	●	B-97
2SGE5.6	5.6	12		60	8	□	B-108
2GE5.6	5.6	12		60	8	●	B-117
2NAC5.6	5.6	12		60	8	●	B-123
4NAC5.6	5.6	15		60	8	□	B-130
2AGE5.7	5.7	12		60	8	●	B-97
2SGE5.7	5.7	12		60	8	□	B-108
2GE5.7	5.7	12		60	8	●	B-117
2NAC5.7	5.7	12		60	8	●	B-123
4NAC5.7	5.7	15		60	8	□	B-130
2AGE5.8	5.8	12		60	8	●	B-97
2SGE5.8	5.8	12		60	8	□	B-108
2GE5.8	5.8	12		60	8	●	B-117
2NAC5.8	5.8	12		60	8	●	B-123
4NAC5.8	5.8	15		60	8	□	B-130
2AGE5.9	5.9	12		60	8	●	B-97
2SGE5.9	5.9	12		60	8	□	B-108
2GE5.9	5.9	12		60	8	●	B-117
2NAC5.9	5.9	12		60	8	●	B-123
4NAC5.9	5.9	15		60	8	□	B-130
GHKEY6	6	10		60	8	●	B-120
GKKEY6	6	10		60	8	●	B-120
GLKEY6	6	10		60	8	●	B-120
AGRES6	6	11		80	6	●	B-102
SGFRE6	6	11		80	6	●	B-112
2AGE6	6	12		60	8	●	B-97
2SGE6	6	12		60	8	●	B-108
2DLCHE6	6	12		60	8	●	B-116
2GE6	6	12		60	8	●	B-117
3GE6	6	12		60	8	●	B-120
2NAC6	6	12		60	8	●	B-123
3NAC6	6	12		60	8	●	B-128
2AGEM6	6	15		60	8	●	B-99
4AGE6	6	15		60	8	●	B-100
AGRERS6	6	15		60	6	●	B-101
AGHV6	6	15		60	8	●	B-104
2MSGE6	6	15		60	8	●	B-109
4SGE6	6	15		60	8	●	B-110
SGFRERS6	6	15		60	6	●	B-111
SGHV6	6	15		60	8	●	B-114
2MGE6	6	15		60	8	●	B-119
4GE6	6	15		60	8	●	B-121
2SE6	6	15		60	8	●	B-125
2RSE6	6	15		50	6	●	B-126
4SE6	6	15		60	8	●	B-128

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
4RSE6	6	15		50	6	●	B-129
4NAC6	6	15		60	8	●	B-130
SRE6	6	15		60	6	●	B-132
4HV6	6	15		60	8	●	B-134
AGREM6	6	16		80	6	●	B-102
SGFRE6	6	16		80	6	●	B-112
SGLREM6	6	16		80	6	●	B-113
MRE6	6	20		60	6	●	B-133
2AGEL6	6	25		65	8	●	B-99
4AGEL6	6	25		65	8	●	B-101
AGLHV6	6	25		65	8	●	B-104
SL2SGE6	6	25		75	8	●	B-110
SL4SGE6	6	25		75	8	●	B-111
SGLHV6	6	25		65	8	●	B-115
SL2GE6	6	25		65	8	●	B-119
SL4GE6	6	25		65	8	●	B-122
SL2SE6	6	25		65	8	●	B-127
RSL2SE6	6	25		60	6	●	B-127
SL4SE6	6	25		65	8	●	B-131
RSL4SE6	6	25		60	6	●	B-132
SL4HV6	6	25		65	8	●	B-135
AGREL6	6	26		80	6	●	B-103
SGFREL6	6	26		80	6	●	B-113
AGELHV6	6	30		70	6	□	B-105
2AGE6.1	6.1	14		65	8	●	B-97
2SGE6.1	6.1	14		65	8	□	B-108
2GE6.1	6.1	14		65	8	●	B-117
2NAC6.1	6.1	14		65	8	●	B-123
4NAC6.1	6.1	15		60	8	□	B-130
2AGE6.2	6.2	14		65	8	●	B-97
2SGE6.2	6.2	14		65	8	□	B-108
2GE6.2	6.2	14		65	8	●	B-117
2NAC6.2	6.2	14		65	8	●	B-123
4NAC6.2	6.2	15		60	8	□	B-130
2AGE6.3	6.3	14		65	8	●	B-97
2SGE6.3	6.3	14		65	8	□	B-108
2GE6.3	6.3	14		65	8	●	B-117
2NAC6.3	6.3	14		65	8	●	B-123
4NAC6.3	6.3	15		60	8	□	B-130
2AGE6.4	6.4	14		65	8	●	B-97
2SGE6.4	6.4	14		65	8	□	B-108
2GE6.4	6.4	14		65	8	●	B-117
2NAC6.4	6.4	14		65	8	●	B-123
4NAC6.4	6.4	15		60	8	□	B-130
2AGE6.5	6.5	14		65	10	●	B-97
2SGE6.5	6.5	14		65	10	●	B-108
2DLCHE6.5	6.5	14		65	10	●	B-116
2GE6.5	6.5	14		65	10	●	B-117
3GE6.5	6.5	14		65	10	●	B-120
2NAC6.5	6.5	14		65	10	●	B-123
3NAC6.5	6.5	14		65	10	●	B-128
2AGEM6.5	6.5	20		65	10	●	B-99
4AGE6.5	6.5	20		65	10	●	B-100
2MSGE6.5	6.5	20		65	10	●	B-109
4SGE6.5	6.5	20		65	10	●	B-110
2MGE6.5	6.5	20		65	10	●	B-119
4GE6.5	6.5	20		65	10	●	B-121
2SE6.5	6.5	20		65	10	●	B-125
4SE6.5	6.5	20		65	10	●	B-128



# ハイスエンドミル スクエア

# 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
4NAC6.5	6.5	20		65	10	●	B-130
2AGE6.6	6.6	14		65	10	●	B-97
2SGE6.6	6.6	14		65	10	□	B-108
2GE6.6	6.6	14		65	10	●	B-117
2NAC6.6	6.6	14		65	10	●	B-123
4NAC6.6	6.6	20		65	10	□	B-130
2AGE6.7	6.7	14		65	10	●	B-97
2SGE6.7	6.7	14		65	10	□	B-108
2GE6.7	6.7	14		65	10	●	B-117
2NAC6.7	6.7	14		65	10	●	B-123
4NAC6.7	6.7	20		65	10	□	B-130
2AGE6.8	6.8	14		65	10	●	B-97
2SGE6.8	6.8	14		65	10	□	B-108
2GE6.8	6.8	14		65	10	●	B-117
2NAC6.8	6.8	14		65	10	●	B-123
4NAC6.8	6.8	20		65	10	□	B-130
2AGE6.9	6.9	14		65	10	●	B-97
2SGE6.9	6.9	14		65	10	□	B-108
2GE6.9	6.9	14		65	10	●	B-117
2NAC6.9	6.9	14		65	10	●	B-123
4NAC6.9	6.9	20		65	10	□	B-130
GHKEY7	7	10		60	10	●	B-120
GKKEY7	7	10		60	10	●	B-120
GLKEY7	7	10		60	10	●	B-120
2AGE7	7	14		65	10	●	B-97
2SGE7	7	14		65	10	●	B-108
2DLCHE7	7	14		65	10	●	B-116
2GE7	7	14		65	10	●	B-117
3GE7	7	14		65	10	●	B-120
2NAC7	7	14		65	10	●	B-123
3NAC7	7	14		65	10	●	B-128
AGRES7	7	17		90	8	●	B-102
SGFRE7	7	17		90	8	●	B-112
2AGEM7	7	20		65	10	●	B-99
4AGE7	7	20		65	10	●	B-100
AGRERS7	7	20		65	10	●	B-101
AGHV7	7	20		65	10	●	B-104
2MSG7	7	20		65	10	●	B-109
4SGE7	7	20		65	10	●	B-110
SGFRERS7	7	20		65	10	●	B-111
SGHV7	7	20		65	10	●	B-114
2MGE7	7	20		65	10	●	B-119
4GE7	7	20		65	10	●	B-121
2SE7	7	20		65	10	●	B-125
2RSE7	7	20		60	8	●	B-126
4SE7	7	20		65	10	●	B-128
4RSE7	7	20		60	8	●	B-129
4NAC7	7	20		65	10	●	B-130
4HV7	7	20		65	10	●	B-134
2AGEL7	7	35		80	10	●	B-99
4AGEL7	7	35		80	10	●	B-101
AGLHV7	7	35		80	10	●	B-104
SL2SGE7	7	35		95	10	●	B-110
SL4SGE7	7	35		95	10	●	B-111
SGLHV7	7	35		80	10	●	B-115
SL2GE7	7	35		80	10	●	B-119
SL4GE7	7	35		80	10	●	B-122
SL2SE7	7	35		80	10	●	B-127
RSL2SE7	7	35		75	8	●	B-127

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
SL4SE7	7	35		80	10	●	B-131
RSL4SE7	7	35		75	8	●	B-132
SL4HV7	7	35		80	10	●	B-135
AGELHV7	7	40		85	8	□	B-105
2AGE7.1	7.1	14		65	10	●	B-97
2SGE7.1	7.1	14		65	10	□	B-108
2GE7.1	7.1	14		65	10	●	B-117
2NAC7.1	7.1	14		65	10	●	B-123
4NAC7.1	7.1	20		65	10	□	B-130
2AGE7.2	7.2	14		65	10	●	B-97
2SGE7.2	7.2	14		65	10	□	B-108
2GE7.2	7.2	14		65	10	●	B-117
2NAC7.2	7.2	14		65	10	●	B-123
4NAC7.2	7.2	20		65	10	□	B-130
2AGE7.3	7.3	14		65	10	●	B-97
2SGE7.3	7.3	14		65	10	□	B-108
2GE7.3	7.3	14		65	10	●	B-117
2NAC7.3	7.3	14		65	10	●	B-123
4NAC7.3	7.3	20		65	10	□	B-130
2AGE7.4	7.4	14		65	10	●	B-97
2SGE7.4	7.4	14		65	10	□	B-108
2GE7.4	7.4	14		65	10	●	B-117
2NAC7.4	7.4	14		65	10	●	B-123
4NAC7.4	7.4	20		65	10	□	B-130
2AGE7.5	7.5	14		65	10	●	B-97
2SGE7.5	7.5	14		65	10	●	B-108
2DLCHE7.5	7.5	14		65	10	●	B-116
2GE7.5	7.5	14		65	10	●	B-117
3GE7.5	7.5	14		65	10	●	B-120
2NAC7.5	7.5	14		65	10	●	B-123
3NAC7.5	7.5	14		65	10	●	B-128
2AGEM7.5	7.5	20		65	10	●	B-99
4AGE7.5	7.5	20		65	10	●	B-100
2MSG7.5	7.5	20		65	10	●	B-109
4SGE7.5	7.5	20		65	10	●	B-110
2MGE7.5	7.5	20		65	10	●	B-119
4GE7.5	7.5	20		65	10	●	B-121
2SE7.5	7.5	20		65	10	●	B-125
4SE7.5	7.5	20		65	10	●	B-128
4NAC7.5	7.5	20		65	10	●	B-130
2AGE7.6	7.6	14		65	10	●	B-97
2SGE7.6	7.6	14		65	10	□	B-108
2GE7.6	7.6	14		65	10	●	B-118
2NAC7.6	7.6	14		65	10	●	B-123
4NAC7.6	7.6	20		65	10	□	B-130
2AGE7.7	7.7	14		65	10	●	B-97
2SGE7.7	7.7	14		65	10	□	B-108
2GE7.7	7.7	14		65	10	●	B-118
2NAC7.7	7.7	14		65	10	●	B-123
4NAC7.7	7.7	20		65	10	□	B-130
2AGE7.8	7.8	14		65	10	●	B-97
2SGE7.8	7.8	14		65	10	□	B-108
2GE7.8	7.8	14		65	10	●	B-118
2NAC7.8	7.8	14		65	10	●	B-123
4NAC7.8	7.8	20		65	10	□	B-130
2AGE7.9	7.9	14		65	10	●	B-97
2SGE7.9	7.9	14		65	10	□	B-108
2GE7.9	7.9	14		65	10	●	B-118
2NAC7.9	7.9	14		65	10	●	B-123

# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
4NAC7.9	7.9	20		65	10	□	B-130
GHKEY8	8	12		60	10	●	B-120
GKKEY8	8	12		60	10	●	B-120
GLKEY8	8	12		60	10	●	B-120
2AGE8	8	14		65	10	●	B-97
2SGE8	8	14		65	10	●	B-108
2DLCHE8	8	14		65	10	●	B-116
2GE8	8	14		65	10	●	B-118
3GE8	8	14		65	10	●	B-120
2NAC8	8	14		65	10	●	B-123
3NAC8	8	14		65	10	●	B-128
AGRES8	8	17		90	8	●	B-102
SGFRE8	8	17		90	8	●	B-112
2AGEM8	8	20		65	10	●	B-99
4AGE8	8	20		65	10	●	B-100
AGRERS8	8	20		65	10	●	B-101
AGHV8	8	20		65	10	●	B-104
2MSGE8	8	20		65	10	●	B-109
4SGE8	8	20		65	10	●	B-110
SGFRERS8	8	20		65	10	●	B-111
SGHV8	8	20		65	10	●	B-114
2MGE8	8	20		65	10	●	B-119
4GE8	8	20		65	10	●	B-121
2SE8	8	20		65	10	●	B-125
2RSE8	8	20		60	8	●	B-126
4SE8	8	20		65	10	●	B-128
4RSE8	8	20		60	8	●	B-129
4NAC8	8	20		65	10	●	B-130
SRE8	8	20		65	10	●	B-132
4HV8	8	20		65	10	●	B-134
AGREM8	8	25		90	8	●	B-102
SGFREM8	8	25		90	8	●	B-112
SGLREM8	8	25		90	8	●	B-113
MRE8	8	25		75	10	●	B-133
2AGEL8	8	35		80	10	●	B-99
4AGEL8	8	35		80	10	●	B-101
AGREL8	8	35		90	8	●	B-103
AGLHV8	8	35		80	10	●	B-104
SL2SGE8	8	35		95	10	●	B-110
SL4SGE8	8	35		95	10	●	B-111
SGFREL8	8	35		90	8	●	B-113
SGLHV8	8	35		80	10	●	B-115
SL2GE8	8	35		80	10	●	B-119
SL4GE8	8	35		80	10	●	B-122
SL2SE8	8	35		80	10	●	B-127
RSL2SE8	8	35		75	8	●	B-127
SL4SE8	8	35		80	10	●	B-131
RSL4SE8	8	35		75	8	●	B-132
SL4HV8	8	35		80	10	●	B-135
AGELHV8	8	40		85	8	□	B-105
2AGE8.1	8.1	18		70	10	●	B-97
2SGE8.1	8.1	18		75	10	□	B-108
2GE8.1	8.1	18		70	10	●	B-118
2NAC8.1	8.1	18		70	10	●	B-123
4NAC8.1	8.1	25		75	10	□	B-130
2AGE8.2	8.2	18		70	10	●	B-97
2SGE8.2	8.2	18		75	10	□	B-108
2GE8.2	8.2	18		70	10	●	B-118
2NAC8.2	8.2	18		70	10	●	B-123

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
4NAC8.2	8.2	25		75	10	□	B-130
2AGE8.3	8.3	18		70	10	●	B-97
2SGE8.3	8.3	18		75	10	□	B-108
2GE8.3	8.3	18		70	10	●	B-118
2NAC8.3	8.3	18		70	10	●	B-123
4NAC8.3	8.3	25		75	10	□	B-130
2AGE8.4	8.4	18		70	10	●	B-97
2SGE8.4	8.4	18		75	10	□	B-108
2GE8.4	8.4	18		70	10	●	B-118
2NAC8.4	8.4	18		70	10	●	B-123
4NAC8.4	8.4	25		75	10	□	B-130
2AGE8.5	8.5	18		70	10	●	B-97
2SGE8.5	8.5	18		75	10	●	B-108
2DLCHE8.5	8.5	18		70	10	●	B-116
2GE8.5	8.5	18		70	10	●	B-118
3GE8.5	8.5	18		70	10	●	B-120
2NAC8.5	8.5	18		70	10	●	B-123
3NAC8.5	8.5	18		70	10	●	B-128
2AGEM8.5	8.5	25		75	10	●	B-99
4AGE8.5	8.5	25		75	10	●	B-100
2MSGE8.5	8.5	25		75	10	●	B-109
4SGE8.5	8.5	25		75	10	●	B-110
2MGE8.5	8.5	25		75	10	●	B-119
4GE8.5	8.5	25		75	10	●	B-121
2SE8.5	8.5	25		75	10	●	B-125
4SE8.5	8.5	25		75	10	●	B-128
4NAC8.5	8.5	25		75	10	●	B-130
2AGE8.6	8.6	18		70	10	●	B-97
2SGE8.6	8.6	18		75	10	□	B-108
2GE8.6	8.6	18		70	10	●	B-118
2NAC8.6	8.6	18		70	10	●	B-123
4NAC8.6	8.6	25		75	10	□	B-130
2AGE8.7	8.7	18		70	10	●	B-97
2SGE8.7	8.7	18		75	10	□	B-108
2GE8.7	8.7	18		70	10	●	B-118
2NAC8.7	8.7	18		70	10	●	B-123
4NAC8.7	8.7	25		75	10	□	B-130
2AGE8.8	8.8	18		70	10	●	B-97
2SGE8.8	8.8	18		75	10	□	B-108
2GE8.8	8.8	18		70	10	●	B-118
2NAC8.8	8.8	18		70	10	●	B-123
4NAC8.8	8.8	25		75	10	□	B-130
2AGE8.9	8.9	18		70	10	●	B-97
2SGE8.9	8.9	18		75	10	□	B-108
2GE8.9	8.9	18		70	10	●	B-118
2NAC8.9	8.9	18		70	10	●	B-123
4NAC8.9	8.9	25		75	10	□	B-130
GHKEY9	9	12		70	12	●	B-120
GKKEY9	9	12		70	12	●	B-120
GLKEY9	9	12		70	12	△	B-120
2AGE9	9	18		70	10	●	B-97
2SGE9	9	18		75	10	●	B-108
2DLCHE9	9	18		70	10	●	B-116
2GE9	9	18		70	10	●	B-118
3GE9	9	18		70	10	●	B-120
2NAC9	9	18		70	10	●	B-123
3NAC9	9	18		70	10	●	B-128
AGRES9	9	22		100	10	●	B-102
SGFRE9	9	22		100	10	●	B-112

# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
2AGEM9	9	25		75	10	●	B-99
4AGE9	9	25		75	10	●	B-100
AGRERS9	9	25		75	10	●	B-101
AGHV9	9	25		75	12	●	B-104
2MSGE9	9	25		75	10	●	B-109
4SGE9	9	25		75	10	●	B-110
SGFRERS9	9	25		75	10	●	B-111
SGHV9	9	25		75	12	●	B-114
2MGE9	9	25		75	10	●	B-119
4GE9	9	25		75	10	●	B-121
2SE9	9	25		75	10	●	B-125
2RSE9	9	25		70	10	●	B-126
4SE9	9	25		75	10	●	B-128
4RSE9	9	25		70	10	●	B-129
4NAC9	9	25		75	10	●	B-130
4HV9	9	25		75	12	●	B-134
2AGEL9	9	45		95	10	●	B-99
4AGEL9	9	45		95	10	●	B-101
AGLHV9	9	45		95	12	●	B-104
SL2SGE9	9	45		110	10	●	B-110
SL4SGE9	9	45		110	10	●	B-111
SGLHV9	9	45		95	12	●	B-115
SL2GE9	9	45		95	10	●	B-119
SL4GE9	9	45		95	10	●	B-122
SL2SE9	9	45		95	10	●	B-127
RSL2SE9	9	45		90	10	●	B-127
SL4SE9	9	45		95	10	●	B-131
RSL4SE9	9	45		90	10	●	B-132
SL4HV9	9	45		95	12	●	B-135
AGELHV9	9	55		105	10	□	B-105
2AGE9.1	9.1	18		70	10	●	B-97
2SGE9.1	9.1	18		75	10	□	B-108
2GE9.1	9.1	18		70	10	●	B-118
2NAC9.1	9.1	18		70	10	●	B-123
4NAC9.1	9.1	25		75	10	□	B-130
2AGE9.2	9.2	18		70	10	●	B-97
2SGE9.2	9.2	18		75	10	□	B-108
2GE9.2	9.2	18		70	10	●	B-118
2NAC9.2	9.2	18		70	10	●	B-123
4NAC9.2	9.2	25		75	10	□	B-130
2AGE9.3	9.3	18		70	10	●	B-97
2SGE9.3	9.3	18		75	10	□	B-108
2GE9.3	9.3	18		70	10	●	B-118
2NAC9.3	9.3	18		70	10	●	B-123
4NAC9.3	9.3	25		75	10	□	B-130
2AGE9.4	9.4	18		70	10	●	B-97
2SGE9.4	9.4	18		75	10	□	B-108
2GE9.4	9.4	18		70	10	●	B-118
2NAC9.4	9.4	18		70	10	●	B-123
4NAC9.4	9.4	25		75	10	□	B-130
2AGE9.5	9.5	18		70	10	●	B-97
2SGE9.5	9.5	18		75	10	●	B-108
2DLCHE9.5	9.5	18		70	10	●	B-116
2GE9.5	9.5	18		70	10	●	B-118
3GE9.5	9.5	18		70	10	●	B-120
2NAC9.5	9.5	18		70	10	●	B-123
3NAC9.5	9.5	18		70	10	●	B-128
2AGEM9.5	9.5	25		75	10	●	B-99
4AGE9.5	9.5	25		75	10	●	B-100

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
2MSGE9.5	9.5	25		75	10	●	B-109
4SGE9.5	9.5	25		75	10	●	B-110
2MGE9.5	9.5	25		75	10	●	B-119
4GE9.5	9.5	25		75	10	●	B-121
2SE9.5	9.5	25		75	10	●	B-125
4SE9.5	9.5	25		75	10	●	B-128
4NAC9.5	9.5	25		75	10	●	B-130
2AGE9.6	9.6	18		70	10	●	B-97
2SGE9.6	9.6	18		75	10	□	B-108
2GE9.6	9.6	18		70	10	●	B-118
2NAC9.6	9.6	18		70	10	●	B-123
4NAC9.6	9.6	25		75	10	□	B-130
2AGE9.7	9.7	18		70	10	●	B-97
2SGE9.7	9.7	18		75	10	□	B-108
2GE9.7	9.7	18		70	10	●	B-118
2NAC9.7	9.7	18		70	10	●	B-123
4NAC9.7	9.7	25		75	10	□	B-130
2AGE9.8	9.8	18		70	10	●	B-97
2SGE9.8	9.8	18		75	10	□	B-108
2GE9.8	9.8	18		70	10	●	B-118
2NAC9.8	9.8	18		70	10	●	B-123
4NAC9.8	9.8	25		75	10	□	B-130
2AGE9.9	9.9	18		70	10	●	B-97
2SGE9.9	9.9	18		75	10	□	B-108
2GE9.9	9.9	18		70	10	●	B-118
2NAC9.9	9.9	18		70	10	●	B-123
4NAC9.9	9.9	25		75	10	□	B-130
GHKEY10	10	14		70	12	●	B-120
GKKEY10	10	14		70	12	●	B-120
GLKEY10	10	14		70	12	●	B-120
2AGE10	10	18		70	10	●	B-97
2SGE10	10	18		75	12	●	B-108
2DLCHE10	10	18		70	10	●	B-116
2GE10	10	18		70	10	●	B-118
3GE10	10	18		70	10	●	B-120
2NAC10	10	18		70	10	●	B-123
3NAC10	10	18		70	10	●	B-128
AGREX10	10	20		130	10	□	B-103
AGREU10	10	20		150	10	□	B-103
AGRES10	10	22		100	10	●	B-102
SGFRE10	10	22		100	10	●	B-112
2AGEM10	10	25		75	10	●	B-99
4AGE10	10	25		75	10	●	B-100
4AGEPT10	10	25		75	10	●	B-100
AGRERS10	10	25		75	10	●	B-101
AGHV10	10	25		75	12	●	B-104
2MSGE10	10	25		75	12	●	B-109
4SGE10	10	25		75	12	●	B-110
SGFRERS10	10	25		75	10	●	B-111
SGHV10	10	25		75	12	●	B-114
2MGE10	10	25		75	10	●	B-119
4GE10	10	25		75	10	●	B-121
2SE10	10	25		75	10	●	B-125
2RSE10	10	25		70	10	●	B-126
4SE10	10	25		75	10	●	B-128
4RSE10	10	25		70	10	●	B-129
4NAC10	10	25		75	10	●	B-130
SRE10	10	25		75	10	●	B-132
4HV10	10	25		75	12	●	B-134

# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁	商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
AGREM10	10	32		100	10	●	B-102	2SGE10.8	10.8	22		80	12	□	B-108
SGFREM10	10	32		100	10	●	B-112	2GE10.8	10.8	22		80	12	●	B-118
SGLREM10	10	32		100	10	●	B-113	2NAC10.8	10.8	22		80	12	●	B-123
MRE10	10	35		85	10	●	B-133	4NAC10.8	10.8	30		80	12	□	B-130
2AGEL10	10	45		95	10	●	B-99	2AGE10.9	10.9	22		80	12	●	B-97
4AGEL10	10	45		95	10	●	B-101	2SGE10.9	10.9	22		80	12	□	B-108
4AGELPT10	10	45		95	10	●	B-101	2GE10.9	10.9	22		80	12	●	B-118
AGREL10	10	45		100	10	●	B-103	2NAC10.9	10.9	22		80	12	●	B-123
AGLHV10	10	45		95	12	●	B-104	4NAC10.9	10.9	30		80	12	□	B-130
SL2SGE10	10	45		110	12	●	B-110	GHKEY11	11	16		75	12	●	B-120
SL4SGE10	10	45		110	12	●	B-111	GKKEY11	11	16		75	12	●	B-120
SGFREL10	10	45		100	10	●	B-113	GLKEY11	11	16		75	12	●	B-120
SGLHV10	10	45		95	12	●	B-115	2AGE11	11	22		80	12	●	B-97
SL2GE10	10	45		95	10	●	B-119	2SGE11	11	22		80	12	●	B-108
SL4GE10	10	45		95	10	●	B-122	2DLCHE11	11	22		80	12	●	B-116
SL2SE10	10	45		95	10	●	B-127	2GE11	11	22		80	12	●	B-118
RSL2SE10	10	45		90	10	●	B-127	3GE11	11	22		80	12	●	B-120
SL4SE10	10	45		95	10	●	B-131	2NAC11	11	22		80	12	●	B-123
RSL4SE10	10	45		90	10	●	B-132	3NAC11	11	22		80	12	●	B-128
SL4HV10	10	45		95	12	●	B-135	AGRES11	11	26		110	12	●	B-102
AGELHV10	10	55		105	10	□	B-105	SGFRE11	11	26		110	12	●	B-112
2AGE10.1	10.1	22		80	12	●	B-97	2AGEM11	11	30		80	12	●	B-99
2SGE10.1	10.1	22		80	12	□	B-108	4AGE11	11	30		80	12	●	B-100
2GE10.1	10.1	22		80	12	●	B-118	AGRERS11	11	30		80	12	●	B-101
2NAC10.1	10.1	22		80	12	●	B-123	AGHV11	11	30		80	12	●	B-104
4NAC10.1	10.1	30		80	12	□	B-130	2MSGE11	11	30		80	12	●	B-109
2AGE10.2	10.2	22		80	12	●	B-97	4SGE11	11	30		80	12	●	B-110
2SGE10.2	10.2	22		80	12	□	B-108	SGFRERS11	11	30		80	12	●	B-111
2GE10.2	10.2	22		80	12	●	B-118	SGHV11	11	30		80	12	●	B-114
2NAC10.2	10.2	22		80	12	●	B-123	2MGE11	11	30		80	12	●	B-119
4NAC10.2	10.2	30		80	12	□	B-130	4GE11	11	30		80	12	●	B-121
2AGE10.3	10.3	22		80	12	●	B-97	2SE11	11	30		80	12	●	B-125
2SGE10.3	10.3	22		80	12	□	B-108	4SE11	11	30		80	12	●	B-128
2GE10.3	10.3	22		80	12	●	B-118	4NAC11	11	30		80	12	●	B-130
2NAC10.3	10.3	22		80	12	●	B-123	4HV11	11	30		80	12	●	B-134
4NAC10.3	10.3	30		80	12	□	B-130	2AGEL11	11	55		105	12	●	B-99
2AGE10.4	10.4	22		80	12	●	B-97	4AGEL11	11	55		105	12	●	B-101
2SGE10.4	10.4	22		80	12	□	B-108	AGLHV11	11	55		105	12	●	B-104
2GE10.4	10.4	22		80	12	●	B-118	SL2SGE11	11	55		120	12	●	B-110
2NAC10.4	10.4	22		80	12	●	B-123	SL4SGE11	11	55		120	12	●	B-111
4NAC10.4	10.4	30		80	12	□	B-130	SGLHV11	11	55		105	12	●	B-115
2AGE10.5	10.5	22		80	12	●	B-97	SL2GE11	11	55		105	12	●	B-119
2SGE10.5	10.5	22		80	12	□	B-108	SL4GE11	11	55		105	12	●	B-122
2GE10.5	10.5	22		80	12	●	B-118	SL2SE11	11	55		105	12	●	B-127
2NAC10.5	10.5	22		80	12	●	B-123	SL4SE11	11	55		105	12	●	B-131
4AGE10.5	10.5	30		80	12	●	B-100	SL4HV11	11	55		105	12	●	B-135
4GE10.5	10.5	30		80	12	●	B-121	AGELHV11	11	65		120	12	□	B-105
4NAC10.5	10.5	30		80	12	□	B-130	2AGE11.1	11.1	22		80	12	●	B-97
2AGE10.6	10.6	22		80	12	●	B-97	2SGE11.1	11.1	22		80	12	□	B-108
2SGE10.6	10.6	22		80	12	□	B-108	2GE11.1	11.1	22		80	12	●	B-118
2GE10.6	10.6	22		80	12	●	B-118	2NAC11.1	11.1	22		80	12	●	B-123
2NAC10.6	10.6	22		80	12	●	B-123	4NAC11.1	11.1	30		80	12	□	B-130
4NAC10.6	10.6	30		80	12	□	B-130	2AGE11.2	11.2	22		80	12	●	B-97
2AGE10.7	10.7	22		80	12	●	B-97	2SGE11.2	11.2	22		80	12	□	B-108
2SGE10.7	10.7	22		80	12	□	B-108	2GE11.2	11.2	22		80	12	●	B-118
2GE10.7	10.7	22		80	12	●	B-118	2NAC11.2	11.2	22		80	12	●	B-123
2NAC10.7	10.7	22		80	12	●	B-123	4NAC11.2	11.2	30		80	12	□	B-130
4NAC10.7	10.7	30		80	12	□	B-130	2AGE11.3	11.3	22		80	12	●	B-97
2AGE10.8	10.8	22		80	12	●	B-97	2SGE11.3	11.3	22		80	12	□	B-108



# ハイスエンドミル スクエア

# 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁	商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
2GE11.3	11.3	22		80	12	●	B-118	4GE12	12	30		80	12	●	B-121
2NAC11.3	11.3	22		80	12	●	B-123	2SE12	12	30		80	12	●	B-125
4NAC11.3	11.3	30		80	12	□	B-130	4SE12	12	30		80	12	●	B-128
2AGE11.4	11.4	22		80	12	●	B-97	4NAC12	12	30		80	12	●	B-130
2SGE11.4	11.4	22		80	12	□	B-108	SRE12	12	30		80	12	●	B-132
2GE11.4	11.4	22		80	12	●	B-118	4HV12	12	30		80	12	●	B-134
2NAC11.4	11.4	22		80	12	●	B-123	AGREM12	12	40	110	12	●	B-102	
4NAC11.4	11.4	30		80	12	□	B-130	SGFREM12	12	40	110	12	●	B-112	
2AGE11.5	11.5	22		80	12	●	B-97	SGLREM12	12	40	110	12	●	B-113	
2SGE11.5	11.5	22		80	12	□	B-108	MRE12	12	40	90	12	●	B-133	
2GE11.5	11.5	22		80	12	●	B-118	AGREL12	12	53	110	12	●	B-103	
2NAC11.5	11.5	22		80	12	●	B-123	SGFREL12	12	53	110	12	●	B-113	
4AGE11.5	11.5	30		80	12	●	B-100	2AGEL12	12	55	105	12	●	B-99	
4GE11.5	11.5	30		80	12	●	B-121	4AGEL12	12	55	105	12	●	B-101	
4NAC11.5	11.5	30		80	12	□	B-130	4AGELPT12	12	55	105	12	●	B-101	
2AGE11.6	11.6	22		80	12	●	B-97	AGLHV12	12	55	105	12	●	B-104	
2SGE11.6	11.6	22		80	12	□	B-108	SL2SGE12	12	55	120	12	●	B-110	
2GE11.6	11.6	22		80	12	●	B-118	SL4SGE12	12	55	120	12	●	B-111	
2NAC11.6	11.6	22		80	12	●	B-123	SGLHV12	12	55	105	12	●	B-115	
4NAC11.6	11.6	30		80	12	□	B-130	SL2GE12	12	55	105	12	●	B-119	
2AGE11.7	11.7	22		80	12	●	B-97	SL4GE12	12	55	105	12	●	B-122	
2SGE11.7	11.7	22		80	12	□	B-108	SL2SE12	12	55	105	12	●	B-127	
2GE11.7	11.7	22		80	12	●	B-118	SL4SE12	12	55	105	12	●	B-131	
2NAC11.7	11.7	22		80	12	●	B-123	LRE12	12	55	105	12	●	B-133	
4NAC11.7	11.7	30		80	12	□	B-130	SL4HV12	12	55	105	12	●	B-135	
2AGE11.8	11.8	22		80	12	●	B-97	AGELHV12	12	65	120	12	□	B-105	
2SGE11.8	11.8	22		80	12	□	B-108	2AGE12.1	12.1	26		90	16	●	B-97
2GE11.8	11.8	22		80	12	●	B-118	2SGE12.1	12.1	26		90	16	□	B-108
2NAC11.8	11.8	22		80	12	●	B-123	2GE12.1	12.1	26		90	16	●	B-118
4NAC11.8	11.8	30		80	12	□	B-130	2NAC12.1	12.1	26		90	16	●	B-123
2AGE11.9	11.9	22		80	12	●	B-97	4NAC12.1	12.1	35		90	16	□	B-130
2SGE11.9	11.9	22		80	12	□	B-108	2AGE12.2	12.2	26		90	16	●	B-97
2GE11.9	11.9	22		80	12	●	B-118	2SGE12.2	12.2	26		90	16	□	B-108
2NAC11.9	11.9	22		80	12	●	B-123	2GE12.2	12.2	26		90	16	●	B-118
4NAC11.9	11.9	30		80	12	□	B-130	2NAC12.2	12.2	26		90	16	●	B-123
GHKEY12	12	16		75	12	●	B-120	4NAC12.2	12.2	35		90	16	□	B-130
GKKEY12	12	16		75	12	●	B-120	2AGE12.3	12.3	26		90	16	●	B-97
GLKEY12	12	16		75	12	●	B-120	2SGE12.3	12.3	26		90	16	□	B-108
2AGE12	12	22		80	12	●	B-97	2GE12.3	12.3	26		90	16	●	B-118
2SGE12	12	22		80	12	●	B-108	2NAC12.3	12.3	26		90	16	●	B-123
2DLCHE12	12	22		80	12	●	B-116	4NAC12.3	12.3	35		90	16	□	B-130
2GE12	12	22		80	12	●	B-118	2AGE12.4	12.4	26		90	16	●	B-97
3GE12	12	22		80	12	●	B-120	2SGE12.4	12.4	26		90	16	□	B-108
2NAC12	12	22		80	12	●	B-123	2GE12.4	12.4	26		90	16	●	B-118
3NAC12	12	22		80	12	●	B-128	2NAC12.4	12.4	26		90	16	●	B-123
AGREX12	12	24	150	12	□	B-103	4NAC12.4	12.4	35		90	16	□	B-130	
AGREU12	12	24	175	12	□	B-103	2AGE12.5	12.5	26		90	16	●	B-97	
AGRES12	12	26	110	12	●	B-102	2SGE12.5	12.5	26		90	16	□	B-108	
SGFRE12	12	26	110	12	●	B-112	2GE12.5	12.5	26		90	16	●	B-118	
2AGEM12	12	30		80	12	●	B-99	2NAC12.5	12.5	26		90	16	●	B-123
4AGE12	12	30		80	12	●	B-100	4AGE12.5	12.5	35		90	16	●	B-100
4AGEPT12	12	30		80	12	●	B-100	4GE12.5	12.5	35		90	16	●	B-121
AGRERS12	12	30		80	12	●	B-101	4NAC12.5	12.5	35		90	16	□	B-130
AGHV12	12	30		80	12	●	B-104	2AGE12.6	12.6	26		90	16	●	B-97
2MSGE12	12	30		80	12	●	B-109	2SGE12.6	12.6	26		90	16	□	B-108
4SGE12	12	30		80	12	●	B-110	2GE12.6	12.6	26		90	16	●	B-118
SGFRERS12	12	30		80	12	●	B-111	2NAC12.6	12.6	26		90	16	●	B-123
SGHV12	12	30		80	12	●	B-114	4NAC12.6	12.6	35		90	16	□	B-130
2MGE12	12	30		80	12	●	B-119	2AGE12.7	12.7	26		90	16	●	B-97

# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁	商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
2SGE12.7	12.7	26		90	16	□	B-108	2NAC13.3	13.3	26		90	16	●	B-124
2GE12.7	12.7	26		90	16	●	B-118	4NAC13.3	13.3	35		90	16	□	B-130
2NAC12.7	12.7	26		90	16	●	B-123	2NAC13.4	13.4	26		90	16	●	B-124
4NAC12.7	12.7	35		90	16	□	B-130	4NAC13.4	13.4	35		90	16	□	B-130
2AGE12.8	12.8	26		90	16	●	B-97	2AGE13.5	13.5	26		90	16	●	B-98
2SGE12.8	12.8	26		90	16	□	B-108	2SGE13.5	13.5	26		90	16	□	B-109
2GE12.8	12.8	26		90	16	●	B-118	2GE13.5	13.5	26		90	16	●	B-118
2NAC12.8	12.8	26		90	16	●	B-123	2NAC13.5	13.5	26		90	16	●	B-124
4NAC12.8	12.8	35		90	16	□	B-130	4AGE13.5	13.5	35		90	16	●	B-100
2AGE12.9	12.9	26		90	16	●	B-97	4GE13.5	13.5	35		90	16	●	B-121
2SGE12.9	12.9	26		90	16	□	B-108	4NAC13.5	13.5	35		90	16	□	B-130
2GE12.9	12.9	26		90	16	●	B-118	2NAC13.6	13.6	26		90	16	●	B-124
2NAC12.9	12.9	26		90	16	●	B-123	4NAC13.6	13.6	35		90	16	□	B-130
4NAC12.9	12.9	35		90	16	□	B-130	2NAC13.7	13.7	26		90	16	●	B-124
GHKEY13	13	16		80	16	●	B-120	4NAC13.7	13.7	35		90	16	□	B-130
GKKEY13	13	16		80	16	●	B-120	2NAC13.8	13.8	26		90	16	●	B-124
GLKEY13	13	16		80	16	△	B-120	4NAC13.8	13.8	35		90	16	□	B-130
2AGE13	13	26		90	16	●	B-98	2NAC13.9	13.9	26		90	16	●	B-124
AGRES13	13	26	110	12	●	B-102	4NAC13.9	13.9	35		90	16	□	B-130	
2SGE13	13	26		90	16	●	B-109	GHKEY14	14	16		80	16	●	B-120
SGFRE13	13	26	110	12	●	B-112	GKKEY14	14	16		80	16	●	B-120	
2DLCHE13	13	26		90	16	●	B-116	GLKEY14	14	16		80	16	●	B-120
2GE13	13	26		90	16	●	B-118	2AGE14	14	26		90	16	●	B-98
3GE13	13	26		90	16	●	B-120	AGRES14	14	26	110	12	●	B-102	
2NAC13	13	26		90	16	●	B-124	2SGE14	14	26		90	16	●	B-109
3NAC13	13	26		90	16	●	B-128	SGFRE14	14	26	110	12	●	B-112	
2AGEM13	13	35		90	16	●	B-99	2DLCHE14	14	26		90	16	●	B-116
4AGE13	13	35		90	16	●	B-100	2GE14	14	26		90	16	●	B-118
AGHV13	13	35		90	16	●	B-104	3GE14	14	26		90	16	●	B-120
2MSGE13	13	35		90	16	●	B-109	2NAC14	14	26		90	16	●	B-124
4SGE13	13	35		90	16	●	B-110	3NAC14	14	26		90	16	●	B-128
SGFRERS13	13	35		90	16	●	B-111	2AGEM14	14	35		90	16	●	B-99
SGHV13	13	35		90	16	●	B-114	4AGE14	14	35		90	16	●	B-100
2MGE13	13	35		90	16	●	B-119	AGRERS14	14	35		90	16	●	B-101
4GE13	13	35		90	16	●	B-121	AGHV14	14	35		90	16	●	B-104
2SE13	13	35		90	16	●	B-125	2MSGE14	14	35		90	16	●	B-109
2RSE13	13	35		85	12	●	B-126	4SGE14	14	35		90	16	●	B-110
4SE13	13	35		90	16	●	B-128	SGFRERS14	14	35		90	16	●	B-111
4RSE13	13	35		85	12	●	B-129	SGHV14	14	35		90	16	●	B-114
4NAC13	13	35		90	16	●	B-130	2MGE14	14	35		90	16	●	B-119
4HV13	13	35		90	16	●	B-134	4GE14	14	35		90	16	●	B-121
2AGEL13	13	55		110	16	●	B-99	2SE14	14	35		90	16	●	B-125
4AGEL13	13	55		110	16	●	B-101	2RSE14	14	35		85	12	●	B-126
AGLHV13	13	55		110	16	●	B-104	4SE14	14	35		90	16	●	B-128
SL2SGE13	13	55		125	16	●	B-110	4RSE14	14	35		85	12	●	B-129
SL4SGE13	13	55		125	16	●	B-111	4NAC14	14	35		90	16	●	B-130
SGLHV13	13	55		110	16	●	B-115	SRE14	14	35		90	16	●	B-132
SL2GE13	13	55		110	16	●	B-119	4HV14	14	35		90	16	●	B-134
SL4GE13	13	55		110	16	●	B-122	AGREM14	14	40		110	12	●	B-102
SL2SE13	13	55		110	16	●	B-127	SGFREM14	14	40		110	12	●	B-112
RSL2SE13	13	55		105	12	●	B-127	SGLREM14	14	40		110	12	●	B-113
SL4SE13	13	55		110	16	●	B-131	MRE14	14	45		100	16	●	B-133
RSL4SE13	13	55		105	12	●	B-132	AGREL14	14	53		110	12	●	B-103
SL4HV13	13	55		110	16	●	B-135	SGFREL14	14	53		110	12	●	B-113
AGELHV13	13	65		125	16	□	B-105	2AGEL14	14	55		110	16	●	B-99
2NAC13.1	13.1	26		90	16	●	B-124	4AGEL14	14	55		110	16	●	B-101
4NAC13.1	13.1	35		90	16	□	B-130	AGLHV14	14	55		110	16	●	B-104
2NAC13.2	13.2	26		90	16	●	B-124	SL2SGE14	14	55		125	16	●	B-110
4NAC13.2	13.2	35		90	16	□	B-130	SL4SGE14	14	55		125	16	●	B-111

# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁	商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
SGLHV14	14	55		110	16	●	B-115	2MGE15	15	40		95	16	●	B-119
SL2GE14	14	55		110	16	●	B-119	4GE15	15	40		95	16	●	B-121
SL4GE14	14	55		110	16	●	B-122	2SE15	15	40		95	16	●	B-125
SL2SE14	14	55		110	16	●	B-127	4SE15	15	40		95	16	●	B-128
RSL2SE14	14	55		105	12	●	B-127	4NAC15	15	40		95	16	●	B-131
SL4SE14	14	55		110	16	●	B-131	4HV15	15	40		95	16	●	B-134
RSL4SE14	14	55		105	12	●	B-132	AGREM15	15	40	53	125	16	●	B-102
LRE14	14	55		110	16	●	B-133	SGFREM15	15	40	53	125	16	●	B-112
SL4HV14	14	55		110	16	●	B-135	MRE15	15	45		100	16	●	B-133
AGELHV14	14	65		125	16	□	B-105	AGREL15	15	53		125	16	●	B-103
2NAC14.1	14.1	30		95	16	●	B-124	SGFREL15	15	53		125	16	●	B-113
4NAC14.1	14.1	40		95	16	□	B-131	ELHV15X110	15	60		110	16	□	B-135
2NAC14.2	14.2	30		95	16	●	B-124	2AGEL15	15	65		120	16	●	B-99
4NAC14.2	14.2	40		95	16	□	B-131	4AGEL15	15	65		120	16	●	B-101
2NAC14.3	14.3	30		95	16	●	B-124	AGLHV15	15	65		120	16	●	B-104
4NAC14.3	14.3	40		95	16	□	B-131	SL2SGE15	15	65		135	16	●	B-110
2NAC14.4	14.4	30		95	16	●	B-124	SL4SGE15	15	65		135	16	●	B-111
4NAC14.4	14.4	40		95	16	□	B-131	SGLHV15	15	65		120	16	●	B-115
2AGE14.5	14.5	30		95	16	●	B-98	SL2GE15	15	65		120	16	●	B-119
2SGE14.5	14.5	30		95	16	□	B-109	SL4GE15	15	65		120	16	●	B-122
2GE14.5	14.5	30		95	16	●	B-118	SL2SE15	15	65		120	16	●	B-127
2NAC14.5	14.5	30		95	16	●	B-124	SL4SE15	15	65		120	16	●	B-131
4AGE14.5	14.5	40		95	16	●	B-100	LRE15	15	65		120	16	●	B-133
4GE14.5	14.5	40		95	16	●	B-121	SL4HV15	15	65		120	16	●	B-135
4NAC14.5	14.5	40		95	16	□	B-131	AGELHV15	15	80		140	16	□	B-105
2NAC14.6	14.6	30		95	16	●	B-124	SGELHV15X140	15	80		140	16	□	B-115
4NAC14.6	14.6	40		95	16	□	B-131	2NAC15.1	15.1	30		95	16	●	B-124
2NAC14.7	14.7	30		95	16	●	B-124	4NAC15.1	15.1	40		95	16	□	B-131
4NAC14.7	14.7	40		95	16	□	B-131	2NAC15.2	15.2	30		95	16	●	B-124
2NAC14.8	14.8	30		95	16	●	B-124	4NAC15.2	15.2	40		95	16	□	B-131
4NAC14.8	14.8	40		95	16	□	B-131	2NAC15.3	15.3	30		95	16	●	B-124
2NAC14.9	14.9	30		95	16	●	B-124	4NAC15.3	15.3	40		95	16	□	B-131
4NAC14.9	14.9	40		95	16	□	B-131	2NAC15.4	15.4	30		95	16	●	B-124
GHKEY15	15	16		80	16	●	B-120	4NAC15.4	15.4	40		95	16	□	B-131
GKKEY15	15	16		80	16	●	B-120	2AGE15.5	15.5	30		95	16	●	B-98
GLKEY15	15	16		80	16	●	B-120	2SGE15.5	15.5	30		95	16	□	B-109
AGRES15N	15	26		125	16	□	B-102	2GE15.5	15.5	30		95	16	●	B-118
SGFRE15N	15	26		125	16	●	B-112	2NAC15.5	15.5	30		95	16	●	B-124
AGRES15	15	26	45	125	16	●	B-102	4AGE15.5	15.5	40		95	16	●	B-100
SGFRE15	15	26	45	125	16	●	B-112	4GE15.5	15.5	40		95	16	●	B-121
2AGE15	15	30		95	16	●	B-98	4NAC15.5	15.5	40		95	16	□	B-131
2SGE15	15	30		95	16	●	B-109	2NAC15.6	15.6	30		95	16	●	B-124
2DLCHE15	15	30		95	16	●	B-116	4NAC15.6	15.6	40		95	16	□	B-131
2GE15	15	30		95	16	●	B-118	2NAC15.7	15.7	30		95	16	●	B-124
3GE15	15	30		95	16	●	B-120	4NAC15.7	15.7	40		95	16	□	B-131
2NAC15	15	30		95	16	●	B-124	2NAC15.8	15.8	30		95	16	●	B-124
3NAC15	15	30		95	16	●	B-128	4NAC15.8	15.8	40		95	16	□	B-131
AGRERS15	15	35		90	16	●	B-101	2NAC15.9	15.9	30		95	16	●	B-124
SGFRERS15	15	35		90	16	●	B-111	4NAC15.9	15.9	40		95	16	□	B-131
SRE15	15	35		90	16	●	B-132	GHKEY16	16	18		80	16	●	B-120
2AGEM15	15	40		95	16	●	B-99	GKKEY16	16	18		80	16	●	B-120
4AGE15	15	40		95	16	●	B-100	GLKEY16	16	18		80	16	●	B-120
AGREM15N	15	40		125	16	□	B-102	2AGE16	16	30		95	16	●	B-98
AGHV15	15	40		95	16	●	B-104	2SGE16	16	30		95	16	●	B-109
2MSGE15	15	40		95	16	●	B-109	2DLCHE16	16	30		95	16	●	B-116
4SGE15	15	40		95	16	●	B-110	2GE16	16	30		95	16	●	B-118
SGFREM15N	15	40		125	16	●	B-112	3GE16	16	30		95	16	●	B-120
SGLREM15	15	40		125	16	●	B-113	2NAC16	16	30		95	16	●	B-124
SGHV15	15	40		95	16	●	B-114	3NAC16	16	30		95	16	●	B-128

# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁	商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
AGRES16N	16	32		125	16	□	B-102	4GE16.5	16.5	40		105	20	●	B-121
SGFRE16N	16	32		125	16	●	B-112	4NAC16.5	16.5	40		105	20	□	B-131
AGRES16	16	32	48	125	16	●	B-102	2NAC16.6	16.6	35		105	20	●	B-124
SGFRE16	16	32	48	125	16	●	B-112	4NAC16.6	16.6	40		105	20	□	B-131
AGREX16	16	32	64	170	16	□	B-103	2NAC16.7	16.7	35		105	20	●	B-124
SGFREX16	16	32	64	170	16	●	B-114	4NAC16.7	16.7	40		105	20	□	B-131
AGREU16	16	32	72	200	16	□	B-103	2NAC16.8	16.8	35		105	20	●	B-124
SGFREU16	16	32	72	200	16	●	B-114	4NAC16.8	16.8	40		105	20	□	B-131
2AGEM16	16	40		95	16	●	B-99	2NAC16.9	16.9	35		105	20	●	B-124
4AGE16	16	40		95	16	●	B-100	4NAC16.9	16.9	40		105	20	□	B-131
4AGEPT16	16	40		95	16	●	B-100	AGRES17	17	32	125	16	●	B-102	
AGRERS16	16	40		95	16	●	B-101	SGFRE17	17	32	125	16	●	B-112	
AGHV16	16	40		95	16	●	B-104	2AGE17	17	35	105	20	●	B-98	
2MSGE16	16	40		95	16	●	B-109	2SGE17	17	35	105	20	●	B-109	
4SGE16	16	40		95	16	●	B-110	2DLCHE17	17	35	105	20	●	B-116	
SGFRERS16	16	40		95	16	●	B-111	2GE17	17	35	105	20	●	B-118	
SGHV16	16	40		95	16	●	B-114	3GE17	17	35	105	20	●	B-120	
2MGE16	16	40		95	16	●	B-119	2NAC17	17	35	105	20	●	B-124	
4GE16	16	40		95	16	●	B-121	3NAC17	17	35	105	20	●	B-128	
2SE16	16	40		95	16	●	B-125	2AGEM17	17	40	105	20	●	B-99	
4SE16	16	40		95	16	●	B-128	4AGE17	17	40	105	20	●	B-100	
4NAC16	16	40		95	16	●	B-131	AGRERS17	17	40	105	20	●	B-101	
SRE16	16	40		95	16	●	B-132	AGHV17	17	40	105	20	●	B-104	
4HV16	16	40		95	16	●	B-134	2MSGE17	17	40	105	20	●	B-109	
AGREM16N	16	48		125	16	□	B-102	4SGE17	17	40	105	20	●	B-110	
SGFREM16N	16	48		125	16	●	B-112	SGFRERS17	17	40	105	20	●	B-111	
SGLREM16	16	48		125	16	●	B-113	SGHV17	17	40	105	20	●	B-114	
AGREM16	16	48	56	125	16	●	B-102	2MGE17	17	40	105	20	●	B-119	
SGFREM16	16	48	56	125	16	●	B-112	4GE17	17	40	105	20	●	B-121	
MRE16	16	50		105	16	●	B-133	2SE17	17	40	105	20	●	B-125	
AGREL16	16	63		125	16	●	B-103	2RSE17	17	40	95	16	●	B-126	
SGFREL16	16	63		125	16	●	B-113	4SE17	17	40	105	20	●	B-128	
2AGEL16	16	65		120	16	●	B-99	4RSE17	17	40	95	16	●	B-129	
4AGEL16	16	65		120	16	●	B-101	4NAC17	17	40	105	20	●	B-131	
4AGELPT16	16	65		120	16	●	B-101	4HV17	17	40	105	20	●	B-134	
AGLHV16	16	65		120	16	●	B-104	2AGEL17	17	65	130	20	●	B-99	
SL2SGE16	16	65		135	16	●	B-110	4AGEL17	17	65	130	20	●	B-101	
SL4SGE16	16	65		135	16	●	B-111	AGLHV17	17	65	130	20	●	B-104	
SGLHV16	16	65		120	16	●	B-115	SL2SGE17	17	65	145	20	●	B-110	
SL2GE16	16	65		120	16	●	B-119	SL4SGE17	17	65	145	20	●	B-111	
SL4GE16	16	65		120	16	●	B-122	SGLHV17	17	65	130	20	●	B-115	
SL2SE16	16	65		120	16	●	B-127	SL2GE17	17	65	130	20	●	B-119	
SL4SE16	16	65		120	16	●	B-131	SL4GE17	17	65	130	20	●	B-122	
LRE16	16	65		120	16	●	B-133	SL2SE17	17	65	130	20	●	B-127	
SL4HV16	16	65		120	16	●	B-135	RSL2SE17	17	65	120	16	●	B-127	
AGELHV16	16	80		140	16	□	B-105	SL4SE17	17	65	130	20	●	B-131	
2NAC16.1	16.1	35		105	20	●	B-124	RSL4SE17	17	65	120	16	●	B-132	
4NAC16.1	16.1	40		105	20	□	B-131	SL4HV17	17	65	130	20	●	B-135	
2NAC16.2	16.2	35		105	20	●	B-124	2NAC17.1	17.1	35	105	20	●	B-124	
4NAC16.2	16.2	40		105	20	□	B-131	4NAC17.1	17.1	40	105	20	□	B-131	
2NAC16.3	16.3	35		105	20	●	B-124	2NAC17.2	17.2	35	105	20	●	B-124	
4NAC16.3	16.3	40		105	20	□	B-131	4NAC17.2	17.2	40	105	20	□	B-131	
2NAC16.4	16.4	35		105	20	●	B-124	2NAC17.3	17.3	35	105	20	●	B-124	
4NAC16.4	16.4	40		105	20	□	B-131	4NAC17.3	17.3	40	105	20	□	B-131	
2AGE16.5	16.5	35		105	20	●	B-98	2NAC17.4	17.4	35	105	20	●	B-124	
2SGE16.5	16.5	35		105	20	□	B-109	4NAC17.4	17.4	40	105	20	□	B-131	
2GE16.5	16.5	35		105	20	●	B-118	2AGE17.5	17.5	35	105	20	●	B-98	
2NAC16.5	16.5	35		105	20	●	B-124	2SGE17.5	17.5	35	105	20	□	B-109	
4AGE16.5	16.5	40		105	20	●	B-100	2GE17.5	17.5	35	105	20	●	B-118	



# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
2NAC17.5	17.5	35		105	20	●	B-124
4AGE17.5	17.5	40		105	20	●	B-100
4GE17.5	17.5	40		105	20	●	B-121
4NAC17.5	17.5	40		105	20	□	B-131
2NAC17.6	17.6	35		105	20	●	B-124
4NAC17.6	17.6	40		105	20	□	B-131
2NAC17.7	17.7	35		105	20	●	B-124
4NAC17.7	17.7	40		105	20	□	B-131
2NAC17.8	17.8	35		105	20	●	B-124
4NAC17.8	17.8	40		105	20	□	B-131
2NAC17.9	17.9	35		105	20	●	B-124
4NAC17.9	17.9	40		105	20	□	B-131
GHKEY18	18	18		85	20	●	B-120
GKKEY18	18	18		85	20	●	B-120
GLKEY18	18	18		85	20	●	B-120
AGRES18	18	32		125	16	●	B-102
AGREX18	18	32		170	16	□	B-103
AGREU18	18	32		200	16	□	B-103
SGFRE18	18	32		125	16	●	B-112
2AGE18	18	35		105	20	●	B-98
2SGE18	18	35		105	20	●	B-109
2DLCHE18	18	35		105	20	●	B-116
2GE18	18	35		105	20	●	B-118
3GE18	18	35		105	20	●	B-120
2NAC18	18	35		105	20	●	B-124
3NAC18	18	35		105	20	●	B-128
2AGEM18	18	40		105	20	●	B-99
4AGE18	18	40		105	20	●	B-100
AGRERS18	18	40		105	20	●	B-101
AGHV18	18	40		105	20	●	B-104
2MSGE18	18	40		105	20	●	B-109
4SGE18	18	40		105	20	●	B-110
SGFRERS18	18	40		105	20	●	B-111
SGHV18	18	40		105	20	●	B-114
2MGE18	18	40		105	20	●	B-119
4GE18	18	40		105	20	●	B-121
2SE18	18	40		105	20	●	B-125
2RSE18	18	40		95	16	●	B-126
4SE18	18	40		105	20	●	B-128
4RSE18	18	40		95	16	●	B-129
4NAC18	18	40		105	20	●	B-131
SRE18	18	40		105	20	●	B-132
4HV18	18	40		105	20	●	B-134
AGREM18	18	48		125	16	●	B-102
SGFREM18	18	48		125	16	●	B-112
SGLREM18	18	48		125	16	●	B-113
MRE18	18	50		115	20	●	B-133
ELHV18X115	18	60		115	20	□	B-135
AGREL18	18	63		125	16	●	B-103
SGFREL18	18	63		125	16	●	B-113
2AGEL18	18	65		130	20	●	B-99
4AGEL18	18	65		130	20	●	B-101
AGLHV18	18	65		130	20	●	B-104
SL2SGE18	18	65		145	20	●	B-110
SL4SGE18	18	65		145	20	●	B-111
SGLHV18	18	65		130	20	●	B-115
SL2GE18	18	65		130	20	●	B-119
SL4GE18	18	65		130	20	●	B-122
SL2SE18	18	65		130	20	●	B-127

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
RSL2SE18	18	65		120	16	●	B-127
SL4SE18	18	65		130	20	●	B-131
RSL4SE18	18	65		120	16	●	B-132
LRE18	18	65		130	20	●	B-133
SL4HV18	18	65		130	20	●	B-135
AGELHV18	18	80		145	20	□	B-105
SGELHV18X145	18	80		145	20	□	B-115
2NAC18.1	18.1	40		110	20	●	B-124
4NAC18.1	18.1	45		110	20	□	B-131
2NAC18.2	18.2	40		110	20	●	B-124
4NAC18.2	18.2	45		110	20	□	B-131
2NAC18.3	18.3	40		110	20	●	B-124
4NAC18.3	18.3	45		110	20	□	B-131
2NAC18.4	18.4	40		110	20	●	B-124
4NAC18.4	18.4	45		110	20	□	B-131
2AGE18.5	18.5	40		110	20	●	B-98
2SGE18.5	18.5	40		110	20	□	B-109
2GE18.5	18.5	40		110	20	●	B-118
2NAC18.5	18.5	40		110	20	●	B-124
4AGE18.5	18.5	45		110	20	●	B-100
4GE18.5	18.5	45		110	20	●	B-121
4NAC18.5	18.5	45		110	20	□	B-131
2NAC18.6	18.6	40		110	20	●	B-124
4NAC18.6	18.6	45		110	20	□	B-131
2NAC18.7	18.7	40		110	20	●	B-124
4NAC18.7	18.7	45		110	20	□	B-131
2NAC18.8	18.8	40		110	20	●	B-124
4NAC18.8	18.8	45		110	20	□	B-131
2NAC18.9	18.9	40		110	20	●	B-124
4NAC18.9	18.9	45		110	20	□	B-131
SGFRE19	19	38	57	140	20	●	B-112
2AGE19	19	40		110	20	●	B-98
2SGE19	19	40		110	20	●	B-109
2DLCHE19	19	40		110	20	●	B-116
2GE19	19	40		110	20	●	B-118
3GE19	19	40		110	20	●	B-120
2NAC19	19	40		110	20	●	B-124
3NAC19	19	40		110	20	●	B-128
2AGEM19	19	45		110	20	●	B-99
4AGE19	19	45		110	20	●	B-100
AGHV19	19	45		110	20	●	B-104
2MSGE19	19	45		110	20	●	B-109
4SGE19	19	45		110	20	●	B-110
SGFRERS19	19	45		110	20	●	B-111
SGHV19	19	45		110	20	●	B-114
2MGE19	19	45		110	20	●	B-119
4GE19	19	45		110	20	●	B-121
2SE19	19	45		110	20	●	B-125
4SE19	19	45		110	20	●	B-128
4NAC19	19	45		110	20	●	B-131
4HV19	19	45		110	20	●	B-134
2AGEL19	19	75		140	20	●	B-99
4AGEL19	19	75		140	20	●	B-101
AGLHV19	19	75		140	20	●	B-104
SL2SGE19	19	75		155	20	●	B-110
SL4SGE19	19	75		155	20	●	B-111
SGLHV19	19	75		140	20	●	B-115
SL2GE19	19	75		140	20	●	B-119
SL4GE19	19	75		140	20	●	B-122

# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁	商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
SL2SE19	19	75		140	20	●	B-127	4NAC20	20	45		110	20	●	B-131
SL4SE19	19	75		140	20	●	B-131	SRE20	20	45		110	20	●	B-132
SL4HV19	19	75		140	20	●	B-135	4HV20	20	45		110	20	●	B-134
2NAC19.1	19.1	40		110	20	●	B-124	MRE20	20	55		120	20	●	B-133
4NAC19.1	19.1	45		110	20	□	B-131	AGREM20N	20	56		140	20	□	B-102
2NAC19.2	19.2	40		110	20	●	B-124	SGFREM20N	20	56		140	20	●	B-112
4NAC19.2	19.2	45		110	20	□	B-131	SGLREM20	20	56		140	20	●	B-113
2NAC19.3	19.3	40		110	20	●	B-124	AGREM20	20	56	70	140	20	●	B-102
4NAC19.3	19.3	45		110	20	□	B-131	SGFREM20	20	56	70	140	20	●	B-112
2NAC19.4	19.4	40		110	20	●	B-124	2AGEL20	20	75		140	20	●	B-99
4NAC19.4	19.4	45		110	20	□	B-131	4AGEL20	20	75		140	20	●	B-101
2AGE19.5	19.5	40		110	20	●	B-98	4AGELPT20	20	75		140	20	●	B-101
2SGE19.5	19.5	40		110	20	□	B-109	AGREL20	20	75		140	20	●	B-103
2GE19.5	19.5	40		110	20	●	B-118	AGLHV20	20	75		140	20	●	B-104
2NAC19.5	19.5	40		110	20	●	B-124	SL2SGE20	20	75		155	20	●	B-110
4AGE19.5	19.5	45		110	20	●	B-100	SL4SGE20	20	75		155	20	●	B-111
4GE19.5	19.5	45		110	20	●	B-121	SGFREL20	20	75		140	20	●	B-113
4NAC19.5	19.5	45		110	20	□	B-131	SGLHV20	20	75		140	20	●	B-115
2NAC19.6	19.6	40		110	20	●	B-124	SL2GE20	20	75		140	20	●	B-119
4NAC19.6	19.6	45		110	20	□	B-131	SL4GE20	20	75		140	20	●	B-122
2NAC19.7	19.7	40		110	20	●	B-124	SL2SE20	20	75		140	20	●	B-127
4NAC19.7	19.7	45		110	20	□	B-131	SL4SE20	20	75		140	20	●	B-131
2NAC19.8	19.8	40		110	20	●	B-124	LRE20	20	75		140	20	●	B-133
4NAC19.8	19.8	45		110	20	□	B-131	SL4HV20	20	75		140	20	●	B-135
2NAC19.9	19.9	40		110	20	●	B-124	ELHV20X145	20	80		145	20	□	B-135
4NAC19.9	19.9	45		110	20	□	B-131	AGELHV20	20	100		165	20	□	B-105
GHKEY20	20	20		85	20	●	B-120	SGELHV20X165	20	100		165	20	□	B-115
GKKEY20	20	20		85	20	●	B-120	ELHV20X165	20	100		165	20	□	B-135
GLKEY20	20	20		85	20	●	B-120	2SE20.1	20.1	45		110	20	□	B-125
AGRES20N	20	38		140	20	□	B-102	2SE20.2	20.2	45		110	20	□	B-125
AGREX20N	20	38		195	20	□	B-103	2SE20.3	20.3	45		110	20	□	B-125
SGFRE20N	20	38		140	20	●	B-112	2SE20.4	20.4	45		110	20	□	B-125
SGFREX20N	20	38		195	20	●	B-114	2SE20.5	20.5	45		110	20	□	B-125
AGRES20	20	38	60	140	20	●	B-102	4SE20.5	20.5	45		110	20	□	B-128
SGFRE20	20	38	60	140	20	●	B-112	2SE20.6	20.6	45		110	20	□	B-125
AGREX20	20	38	80	195	20	□	B-103	2SE20.7	20.7	45		110	20	□	B-125
SGFREX20	20	38	80	195	20	●	B-114	2SE20.8	20.8	45		110	20	□	B-125
AGREU20	20	38	90	225	20	□	B-103	2SE20.9	20.9	45		110	20	□	B-125
SGFREU20	20	38	90	225	20	●	B-114	2AGE21	21	45		110	20	●	B-98
2AGE20	20	40		110	20	●	B-98	4AGE21	21	45		110	20	●	B-100
2SGE20	20	40		110	20	●	B-109	AGHV21	21	45		110	20	●	B-104
2DLCHE20	20	40		110	20	●	B-116	2SGE21	21	45		125	20	●	B-109
2GE20	20	40		110	20	●	B-118	4SGE21	21	45		125	20	●	B-110
3GE20	20	40		110	20	●	B-120	SGHV21	21	45		110	20	●	B-114
2NAC20	20	40		110	20	●	B-124	2GE21	21	45		110	20	●	B-118
3NAC20	20	40		110	20	●	B-128	3GE21	21	45		110	20	●	B-120
2AGEM20	20	45		110	20	●	B-99	4GE21	21	45		110	20	●	B-121
4AGE20	20	45		110	20	●	B-100	2SE21	21	45		110	20	●	B-125
4AGEPT20	20	45		110	20	●	B-100	4SE21	21	45		110	20	●	B-128
AGRERS20	20	45		110	20	●	B-101	4HV21	21	45		110	20	●	B-134
AGHV20	20	45		110	20	●	B-104	2MSG21	21	50		125	20	●	B-109
2MSG20	20	45		110	20	●	B-109	2AGEL21	21	75		140	20	●	B-99
4SGE20	20	45		110	20	●	B-110	4AGEL21	21	75		140	20	●	B-101
SGFRERS20	20	45		110	20	●	B-111	SL2SGE21	21	75		165	20	●	B-110
SGHV20	20	45		110	20	●	B-114	SL4SGE21	21	75		165	20	●	B-111
2MGE20	20	45		110	20	●	B-119	SGLHV21	21	75		140	20	●	B-115
4GE20	20	45		110	20	●	B-121	SL2GE21	21	75		140	20	●	B-119
2SE20	20	45		110	20	●	B-125	SL4GE21	21	75		140	20	●	B-122
4SE20	20	45		110	20	●	B-128	SL2SE21	21	75		140	20	●	B-127

# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁	商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
SL4SE21	21	75		140	20	●	B-131	2SE22.7	22.7	50		120	25	□	B-125
2SE21.1	21.1	45		110	20	□	B-125	2SE22.8	22.8	50		120	25	□	B-125
2SE21.2	21.2	45		110	20	□	B-125	2SE22.9	22.9	50		120	25	□	B-125
2SE21.3	21.3	45		110	20	□	B-125	2AGE23	23	50		120	25	●	B-98
2SE21.4	21.4	45		110	20	□	B-125	4AGE23	23	50		120	25	●	B-100
2SE21.5	21.5	45		110	20	□	B-125	AGHV23	23	50		120	25	●	B-104
4SE21.5	21.5	45		110	20	□	B-128	2SGE23	23	50		130	25	●	B-109
2SE21.6	21.6	45		110	20	□	B-125	4SGE23	23	50		130	25	●	B-110
2SE21.7	21.7	45		110	20	□	B-125	SGHV23	23	50		120	25	●	B-114
2SE21.8	21.8	45		110	20	□	B-125	2GE23	23	50		120	25	●	B-118
2SE21.9	21.9	45		110	20	□	B-125	3GE23	23	50		120	25	●	B-120
AGRES22	22	38		140	20	●	B-102	4GE23	23	50		120	25	●	B-121
AGREX22	22	38		195	20	□	B-103	2SE23	23	50		120	25	●	B-125
AGREU22	22	38		225	20	□	B-103	4SE23	23	50		120	25	●	B-128
SGFRE22	22	38		140	20	●	B-112	4HV23	23	50		120	25	●	B-134
2AGE22	22	45		110	20	●	B-98	2MSG23	23	55		130	25	●	B-109
4AGE22	22	45		110	20	●	B-100	2AGEL23	23	90		160	25	●	B-99
AGRERS22	22	45		110	20	●	B-101	4AGEL23	23	90		160	25	●	B-101
AGHV22	22	45		110	20	●	B-104	SL2SGE23	23	90		180	25	●	B-110
2SGE22	22	45		125	20	●	B-109	SL4SGE23	23	90		180	25	●	B-111
4SGE22	22	45		125	20	●	B-110	SGLHV23	23	90		160	25	●	B-115
SGFRERS22	22	45		110	20	●	B-111	SL2GE23	23	90		160	25	●	B-119
SGHV22	22	45		110	20	●	B-114	SL4GE23	23	90		160	25	●	B-122
2GE22	22	45		110	20	●	B-118	SL2SE23	23	90		160	25	●	B-127
3GE22	22	45		110	20	●	B-120	SL4SE23	23	90		160	25	●	B-131
4GE22	22	45		110	20	●	B-121	2SE23.1	23.1	50		120	25	□	B-125
2SE22	22	45		110	20	●	B-125	2SE23.2	23.2	50		120	25	□	B-125
4SE22	22	45		110	20	●	B-128	2SE23.3	23.3	50		120	25	□	B-125
SRE22	22	45		110	20	●	B-132	2SE23.4	23.4	50		120	25	□	B-125
4HV22	22	45		110	20	●	B-134	2SE23.5	23.5	50		120	25	□	B-125
2MSG22	22	50		125	20	●	B-109	4SE23.5	23.5	50		120	25	□	B-128
AGREM22	22	56		140	20	●	B-102	2SE23.6	23.6	50		120	25	□	B-125
SGFREM22	22	56		140	20	●	B-112	2SE23.7	23.7	50		120	25	□	B-125
SGLREM22	22	56		140	20	●	B-113	2SE23.8	23.8	50		120	25	□	B-125
MRE22	22	60		120	20	●	B-133	2SE23.9	23.9	50		120	25	□	B-125
2AGEL22	22	75		140	20	●	B-99	AGRES24	24	45		160	20	●	B-102
4AGEL22	22	75		140	20	●	B-101	SGFRE24	24	45		160	20	●	B-112
AGREL22	22	75		140	20	●	B-103	2AGE24	24	50		120	25	●	B-98
AGLHV22	22	75		140	20	●	B-104	4AGE24	24	50		120	25	●	B-100
SL2SGE22	22	75		165	20	●	B-110	AGRERS24	24	50		120	25	●	B-101
SL4SGE22	22	75		165	20	●	B-111	AGHV24	24	50		120	25	●	B-104
SGFREL22	22	75		140	20	●	B-113	2SGE24	24	50		130	25	●	B-109
SGLHV22	22	75		140	20	●	B-115	4SGE24	24	50		130	25	●	B-110
SL2GE22	22	75		140	20	●	B-119	SGFRERS24	24	50		120	25	●	B-111
SL4GE22	22	75		140	20	●	B-122	SGHV24	24	50		120	25	●	B-114
SL2SE22	22	75		140	20	●	B-127	2GE24	24	50		120	25	●	B-118
SL4SE22	22	75		140	20	●	B-131	3GE24	24	50		120	25	●	B-120
LRE22	22	75		140	20	●	B-133	4GE24	24	50		120	25	●	B-121
SL4HV22	22	75		140	20	●	B-135	2SE24	24	50		120	25	●	B-125
AGELHV22	22	100		165	20	□	B-105	4SE24	24	50		120	25	●	B-128
SGELHV22X165	22	100		165	20	□	B-115	SRE24	24	50		120	25	●	B-132
ELHV22X165	22	100		165	20	□	B-135	4HV24	24	50		120	25	●	B-134
2SE22.1	22.1	50		120	25	□	B-125	2MSG24	24	55		130	25	●	B-109
2SE22.2	22.2	50		120	25	□	B-125	AGREM24	24	67		160	20	●	B-102
2SE22.3	22.3	50		120	25	□	B-125	SGFREM24	24	67		160	20	●	B-112
2SE22.4	22.4	50		120	25	□	B-125	SGLREM24	24	67		160	20	●	B-113
2SE22.5	22.5	50		120	25	□	B-125	MRE24	24	70		140	25	●	B-133
4SE22.5	22.5	50		120	25	□	B-128	2AGEL24	24	90		160	25	●	B-99
2SE22.6	22.6	50		120	25	□	B-125	4AGEL24	24	90		160	25	●	B-101

# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
AGREL24	24	90		160	20	●	B-103
SL2SGE24	24	90		180	25	●	B-110
SL4SGE24	24	90		180	25	●	B-111
SGFREL24	24	90		160	20	●	B-113
SGLHV24	24	90		160	25	●	B-115
SL2GE24	24	90		160	25	●	B-119
SL4GE24	24	90		160	25	●	B-122
SL2SE24	24	90		160	25	●	B-127
SL4SE24	24	90		160	25	●	B-131
LRE24	24	90		160	25	●	B-133
SL4HV24	24	90		160	25	□	B-135
ELHV24X170	24	100		170	25	□	B-135
AGELHV24	24	150		220	25	□	B-105
SGELHV24X220	24	150		220	25	□	B-115
ELHV24X220	24	150		220	25	□	B-135
2SE24.1	24.1	50		120	25	□	B-125
2SE24.2	24.2	50		120	25	□	B-125
2SE24.3	24.3	50		120	25	□	B-125
2SE24.4	24.4	50		120	25	□	B-125
2SE24.5	24.5	50		120	25	□	B-125
4SE24.5	24.5	50		120	25	□	B-128
2SE24.6	24.6	50		120	25	□	B-125
2SE24.7	24.7	50		120	25	□	B-125
2SE24.8	24.8	50		120	25	□	B-125
2SE24.9	24.9	50		120	25	□	B-125
AGRES25N	25	45		160	25	□	B-102
SGFRE25N	25	45		160	25	●	B-112
AGRES25	25	45	75	160	25	●	B-102
SGFRE25	25	45	75	160	25	●	B-112
AGREX25	25	45	100	210	25	□	B-103
SGFREX25	25	45	100	210	25	●	B-114
AGREU25	25	45	113	250	25	□	B-103
SGFREU25	25	45	113	250	25	●	B-114
2AGE25	25	50		120	25	●	B-98
4AGE25	25	50		120	25	●	B-100
4AGEPT25	25	50		120	25	●	B-100
AGRERS25	25	50		120	25	●	B-101
AGHV25	25	50		120	25	●	B-104
2SGE25	25	50		130	25	●	B-109
4SGE25	25	50		130	25	●	B-110
SGFRERS25	25	50		120	25	●	B-111
SGHV25	25	50		120	25	●	B-114
2GE25	25	50		120	25	●	B-118
3GE25	25	50		120	25	●	B-120
4GE25	25	50		120	25	●	B-121
2SE25	25	50		120	25	●	B-125
4SE25	25	50		120	25	●	B-128
SRE25	25	50		120	25	●	B-132
4HV25	25	50		120	25	●	B-134
2MSGE25	25	55		130	25	●	B-109
AGREM25N	25	67		160	25	□	B-102
SGFREM25N	25	67		160	25	●	B-112
SGLREM25	25	67		160	25	●	B-113
AGREM25	25	67	88	160	25	●	B-102
SGFREM25	25	67	88	160	25	●	B-112
MRE25	25	70		140	25	●	B-133
2AGEL25	25	90		160	25	●	B-99
4AGEL25	25	90		160	25	●	B-101
4AGELPT25	25	90		160	25	●	B-101

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
AGREL25	25	90		160	25	●	B-103
AGLHV25	25	90		160	25	●	B-104
SL2SGE25	25	90		180	25	●	B-110
SL4SGE25	25	90		180	25	●	B-111
SGFREL25	25	90		160	25	●	B-113
SGLHV25	25	90		160	25	●	B-115
SL2GE25	25	90		160	25	●	B-119
SL4GE25	25	90		160	25	●	B-122
SL2SE25	25	90		160	25	●	B-127
SL4SE25	25	90		160	25	●	B-131
LRE25	25	90		160	25	●	B-133
SL4HV25	25	90		160	25	●	B-135
ELHV25X170	25	100		170	25	□	B-135
ELHV25X190	25	120		190	25	□	B-135
AGELHV25	25	150		220	25	□	B-105
SGELHV25X220	25	150		220	25	□	B-115
ELHV25X220	25	150		220	25	□	B-135
2SE25.1	25.1	50		120	25	□	B-125
2SE25.2	25.2	50		120	25	□	B-125
2SE25.3	25.3	50		120	25	□	B-125
2SE25.4	25.4	50		120	25	□	B-125
2SE25.5	25.5	50		120	25	□	B-125
2SE25.6	25.6	50		120	25	□	B-125
2SE25.7	25.7	50		120	25	□	B-125
2SE25.8	25.8	50		120	25	□	B-125
2SE25.9	25.9	50		120	25	□	B-125
2AGE26	26	50		120	25	●	B-98
4AGE26	26	50		120	25	●	B-100
AGHV26	26	50		120	25	●	B-104
2SGE26	26	50		130	25	●	B-109
4SGE26	26	50		130	25	●	B-110
SGHV26	26	50		120	25	●	B-114
2GE26	26	50		120	25	●	B-118
3GE26	26	50		120	25	●	B-120
4GE26	26	50		120	25	●	B-121
2SE26	26	50		120	25	●	B-125
4SE26	26	50		120	25	●	B-128
4HV26	26	50		120	25	●	B-134
2MSGE26	26	55		130	25	●	B-109
2AGEL26	26	90		160	25	●	B-99
4AGEL26	26	90		160	25	●	B-101
SL2SGE26	26	90		180	25	●	B-110
SL4SGE26	26	90		180	25	●	B-111
SGLHV26	26	90		160	25	●	B-115
SL2GE26	26	90		160	25	●	B-119
SL4GE26	26	90		160	25	●	B-122
SL2SE26	26	90		160	25	●	B-127
SL4SE26	26	90		160	25	●	B-131
2SE26.1	26.1	55		125	25	□	B-125
2SE26.2	26.2	55		125	25	□	B-125
2SE26.3	26.3	55		125	25	□	B-125
2SE26.4	26.4	55		125	25	□	B-125
2SE26.5	26.5	55		125	25	□	B-125
2SE26.6	26.6	55		125	25	□	B-125
2SE26.7	26.7	55		125	25	□	B-125
2SE26.8	26.8	55		125	25	□	B-125
2SE26.9	26.9	55		125	25	□	B-125
2AGE27	27	55		125	25	●	B-98
4AGE27	27	55		125	25	●	B-100



# ハイスエンドミル スクエア

# 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
AGHV27	27	55		125	25	●	B-104
2SGE27	27	55		135	25	●	B-109
4SGE27	27	55		135	25	●	B-110
SGHV27	27	55		125	25	●	B-114
2GE27	27	55		125	25	●	B-118
3GE27	27	55		125	25	●	B-120
4GE27	27	55		125	25	●	B-121
2SE27	27	55		125	25	●	B-125
4SE27	27	55		125	25	●	B-128
4HV27	27	55		125	25	●	B-134
2MSG27	27	60		135	25	●	B-109
2AGEL27	27	90		160	25	●	B-99
4AGEL27	27	90		160	25	●	B-101
SL2SGE27	27	90		180	25	●	B-110
SL4SGE27	27	90		180	25	●	B-111
SGLHV27	27	90		160	25	●	B-115
SL2GE27	27	90		160	25	●	B-119
SL4GE27	27	90		160	25	●	B-122
SL2SE27	27	90		160	25	●	B-127
SL4SE27	27	90		160	25	●	B-131
2SE27.1	27.1	55		125	25	□	B-125
2SE27.2	27.2	55		125	25	□	B-125
2SE27.3	27.3	55		125	25	□	B-125
2SE27.4	27.4	55		125	25	□	B-125
2SE27.5	27.5	55		125	25	□	B-125
2SE27.6	27.6	55		125	25	□	B-125
2SE27.7	27.7	55		125	25	□	B-125
2SE27.8	27.8	55		125	25	□	B-125
2SE27.9	27.9	55		125	25	□	B-125
AGRES28	28	45		160	25	●	B-102
AGREX28	28	45		210	25	□	B-103
AGREU28	28	45		250	25	□	B-103
SGFRE28	28	45		160	25	●	B-112
2AGE28	28	55		125	25	●	B-98
4AGE28	28	55		125	25	●	B-100
AGRERS28	28	55		125	25	●	B-101
AGHV28	28	55		125	25	●	B-104
2SGE28	28	55		135	25	●	B-109
4SGE28	28	55		135	25	●	B-110
SGFRERS28	28	55		125	25	●	B-111
SGHV28	28	55		125	25	●	B-114
2GE28	28	55		125	25	●	B-118
3GE28	28	55		125	25	●	B-120
4GE28	28	55		125	25	●	B-121
2SE28	28	55		125	25	●	B-125
4SE28	28	55		125	25	●	B-128
SRE28	28	55		125	25	●	B-132
4HV28	28	55		125	25	●	B-134
6HV28	28	55		125	25	●	B-134
2MSG28	28	60		135	25	●	B-109
AGREM28	28	67		160	25	●	B-102
SGFREM28	28	67		160	25	●	B-112
SGLREM28	28	67		160	25	●	B-113
MRE28	28	70		140	25	●	B-133
2AGEL28	28	90		160	25	●	B-99
4AGEL28	28	90		160	25	●	B-101
AGREL28	28	90		160	25	●	B-103
AGLHV28	28	90		160	25	●	B-104
SL2SGE28	28	90		180	25	●	B-110

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
SL4SGE28	28	90		180	25	●	B-111
SGFREL28	28	90		160	25	●	B-113
SGLHV28	28	90		160	25	●	B-115
SL2GE28	28	90		160	25	●	B-119
SL4GE28	28	90		160	25	●	B-122
SL2SE28	28	90		160	25	●	B-127
SL4SE28	28	90		160	25	●	B-131
LRE28	28	90		160	25	●	B-133
SL4HV28	28	90		160	25	●	B-135
SL6HV28	28	90		160	25	●	B-135
ELHV28X170	28	100		170	25	□	B-135
AGELHV28	28	150		220	25	□	B-105
SGELHV28X220	28	150		220	25	□	B-115
ELHV28X220	28	150		220	25	□	B-135
2SE28.1	28.1	55		125	25	□	B-125
2SE28.2	28.2	55		125	25	□	B-125
2SE28.3	28.3	55		125	25	□	B-125
2SE28.4	28.4	55		125	25	□	B-125
2SE28.5	28.5	55		125	25	□	B-125
2SE28.6	28.6	55		125	25	□	B-125
2SE28.7	28.7	55		125	25	□	B-125
2SE28.8	28.8	55		125	25	□	B-125
2SE28.9	28.9	55		125	25	□	B-125
2AGE29	29	55		125	25	●	B-98
4AGE29	29	55		125	25	●	B-100
AGHV29	29	55		125	25	●	B-104
2SGE29	29	55		135	25	●	B-109
4SGE29	29	55		135	25	●	B-110
SGHV29	29	55		125	25	●	B-114
2GE29	29	55		125	25	●	B-118
3GE29	29	55		125	25	●	B-120
4GE29	29	55		125	25	●	B-121
2SE29	29	55		125	25	●	B-125
4SE29	29	55		125	25	●	B-128
4HV29	29	55		125	25	●	B-134
6HV29	29	55		125	25	●	B-134
2MSG29	29	60		135	25	●	B-109
2AGEL29	29	90		160	25	●	B-99
4AGEL29	29	90		160	25	●	B-101
SL2SGE29	29	90		180	25	●	B-110
SL4SGE29	29	90		180	25	●	B-111
SGLHV29	29	90		160	25	●	B-115
SL2GE29	29	90		160	25	●	B-119
SL4GE29	29	90		160	25	●	B-122
SL2SE29	29	90		160	25	●	B-127
SL4SE29	29	90		160	25	●	B-131
2SE29.1	29.1	55		125	25	□	B-125
2SE29.2	29.2	55		125	25	□	B-126
2SE29.3	29.3	55		125	25	□	B-126
2SE29.4	29.4	55		125	25	□	B-126
2SE29.5	29.5	55		125	25	□	B-126
2SE29.6	29.6	55		125	25	□	B-126
2SE29.7	29.7	55		125	25	□	B-126
2SE29.8	29.8	55		125	25	□	B-126
2SE29.9	29.9	55		125	25	□	B-126
AGRES30	30	45		160	25	●	B-102
AGREX30	30	45		220	25	□	B-103
AGREU30	30	45		270	25	□	B-103
SGFRE30	30	45		160	25	●	B-112

# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
SGFREX30	30	45		220	25	●	B-114
SGFREU30	30	45		270	25	●	B-114
2AGE30	30	55		125	25	●	B-98
4AGE30	30	55		125	25	●	B-100
AGRERS30	30	55		140	32	●	B-101
AGHV30	30	55		125	25	●	B-104
2SGE30	30	55		135	25	●	B-109
4SGE30	30	55		135	25	●	B-110
SGFRERS30	30	55		140	32	●	B-111
SGHV30	30	55		125	25	●	B-114
2GE30	30	55		125	25	●	B-118
3GE30	30	55		125	25	●	B-120
4GE30	30	55		125	25	●	B-121
2SE30	30	55		125	25	●	B-126
4SE30	30	55		125	25	●	B-128
SRE30	30	55		140	32	●	B-132
4HV30	30	55		125	25	●	B-134
6HV30	30	55		125	25	●	B-134
4HV30X32	30	55		125	32	□	B-134
2MSGE30	30	60		135	25	●	B-109
AGREM30	30	67		160	25	●	B-102
SGFREM30	30	67		160	25	●	B-112
SGLREM30	30	67		160	25	●	B-113
MRE30	30	80		165	32	●	B-133
2AGEL30	30	90		160	25	●	B-99
4AGEL30	30	90		160	25	●	B-101
AGREL30	30	90		160	25	●	B-103
AGLHV30	30	90		160	25	●	B-104
SL2SGE30	30	90		180	25	●	B-110
SL4SGE30	30	90		180	25	●	B-111
SGFREL30	30	90		160	25	●	B-113
SGLHV30	30	90		160	25	●	B-115
SL2GE30	30	90		160	25	●	B-119
SL4GE30	30	90		160	25	●	B-122
SL2SE30	30	90		160	25	●	B-127
SL4SE30	30	90		160	25	●	B-131
SL4HV30	30	90		160	25	●	B-135
SL6HV30	30	90		160	25	●	B-135
ELHV30X185	30	100		185	32	□	B-135
LRE30	30	105		190	32	●	B-133
ELHV30X205	30	120		205	32	□	B-135
AGELHV30X150	30	150		235	32	□	B-105
SGELHV30X235	30	150		235	32	□	B-115
ELHV30X235	30	150		235	32	□	B-135
AGELHV30X200	30	200		285	32	□	B-105
SGELHV30X285	30	200		285	32	□	B-115
ELHV30X285	30	200		285	32	□	B-135
2AGE31	31	60		145	32	●	B-98
4AGE31	31	60		145	32	●	B-100
2SGE31	31	60		145	32	□	B-109
2GE31	31	60		145	32	●	B-118
3GE31	31	60		145	32	●	B-120
4GE31	31	60		145	32	●	B-121
2SE31	31	60		145	32	●	B-126
4SE31	31	60		145	32	●	B-128
6HV31	31	60		145	32	●	B-134
2AGEL31	31	105		190	32	●	B-99
4AGEL31	31	105		190	32	●	B-101
SL2GE31	31	105		190	32	●	B-119

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
SL4GE31	31	105		190	32	●	B-122
SL2SE31	31	105		190	32	●	B-127
SL4SE31	31	105		190	32	●	B-131
AGRES32N	32	53		180	32	□	B-102
SGFRE32	32	53	88	180	32	●	B-112
AGRES32	32	53	95	180	32	●	B-102
AGREX32	32	53	128	235	32	□	B-103
AGREU32	32	53	144	290	32	□	B-103
2AGE32	32	60		145	32	●	B-98
4AGE32	32	60		145	32	●	B-100
AGRERS32	32	60		145	32	●	B-101
AGHV32	32	60		145	32	●	B-104
2SGE32	32	60		145	32	□	B-109
SGFRERS32	32	60		145	32	●	B-111
SGHV32	32	60		145	32	●	B-114
2GE32	32	60		145	32	●	B-118
3GE32	32	60		145	32	●	B-120
4GE32	32	60		145	32	●	B-121
2SE32	32	60		145	32	●	B-126
4SE32	32	60		145	32	●	B-128
SRE32	32	60		145	32	●	B-132
6HV32	32	60		145	32	●	B-134
AGREM32N	32	80		180	32	□	B-102
SGLREM32	32	80		180	32	●	B-113
MRE32	32	80		165	32	●	B-133
AGREM32	32	80	112	180	32	●	B-102
SGFREM32	32	80	112	180	32	●	B-112
2AGEL32	32	105		190	32	●	B-99
4AGEL32	32	105		190	32	●	B-101
AGLHV32	32	105		190	32	●	B-104
SGLHV32	32	105		190	32	●	B-115
SL2GE32	32	105		190	32	●	B-119
SL4GE32	32	105		190	32	●	B-122
SL2SE32	32	105		190	32	●	B-127
SL4SE32	32	105		190	32	●	B-131
LRE32	32	105		190	32	●	B-133
SL6HV32	32	105		190	32	●	B-135
AGREL32	32	106		180	32	●	B-103
SGFREL32	32	106		180	32	●	B-113
ELHV32X205	32	120		205	32	□	B-135
AGELHV32X150	32	150		235	32	□	B-105
SGELHV32X235	32	150		235	32	□	B-115
ELHV32X235	32	150		235	32	□	B-135
AGELHV32X200	32	200		285	32	□	B-105
SGELHV32X285	32	200		285	32	□	B-115
ELHV32X285	32	200		285	32	□	B-135
2AGE33	33	60		145	32	●	B-98
4AGE33	33	60		145	32	●	B-100
2SGE33	33	60		145	32	□	B-109
2GE33	33	60		145	32	●	B-118
3GE33	33	60		145	32	●	B-120
4GE33	33	60		145	32	●	B-121
2SE33	33	60		145	32	●	B-126
4SE33	33	60		145	32	●	B-128
6HV33	33	60		145	32	●	B-134
2AGEL33	33	105		190	32	●	B-99
4AGEL33	33	105		190	32	●	B-101
SL2GE33	33	105		190	32	●	B-119
SL4GE33	33	105		190	32	●	B-122

# ハイスエンドミル スクエア

# 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
SL2SE33	33	105	190	32	●	B-127	
SL4SE33	33	105	190	32	●	B-131	
2AGE34	34	60	145	32	●	B-98	
4AGE34	34	60	145	32	●	B-100	
2SGE34	34	60	145	32	□	B-109	
2GE34	34	60	145	32	●	B-118	
3GE34	34	60	145	32	●	B-120	
4GE34	34	60	145	32	●	B-121	
2SE34	34	60	145	32	●	B-126	
4SE34	34	60	145	32	●	B-128	
6HV34	34	60	145	32	●	B-134	
2AGEL34	34	105	190	32	●	B-99	
4AGEL34	34	105	190	32	●	B-101	
SL2GE34	34	105	190	32	●	B-119	
SL4GE34	34	105	190	32	●	B-122	
SL2SE34	34	105	190	32	●	B-127	
SL4SE34	34	105	190	32	●	B-131	
ELHV34X205	34	120	205	32	□	B-135	
AGRES35	35	53	180	32	●	B-102	
AGREX35	35	53	235	32	□	B-103	
AGREU35	35	53	290	32	□	B-103	
SGFRE35	35	53	180	32	●	B-112	
SGFREX35	35	53	235	32	●	B-114	
SGFREU35	35	53	290	32	●	B-114	
2AGE35	35	60	145	32	●	B-98	
4AGE35	35	60	145	32	●	B-100	
AGRERS35	35	60	145	32	●	B-101	
AGHV35	35	60	145	32	●	B-104	
2SGE35	35	60	145	32	□	B-109	
SGFRERS35	35	60	145	32	●	B-111	
SGHV35	35	60	145	32	●	B-114	
2GE35	35	60	145	32	●	B-118	
3GE35	35	60	145	32	●	B-120	
4GE35	35	60	145	32	●	B-121	
2SE35	35	60	145	32	●	B-126	
4SE35	35	60	145	32	●	B-128	
SRE35	35	60	145	32	●	B-132	
6HV35	35	60	145	32	●	B-134	
AGREM35	35	80	180	32	●	B-102	
SGFREM35	35	80	180	32	●	B-112	
SGLREM35	35	80	180	32	●	B-113	
MRE35	35	90	175	32	●	B-133	
2AGEL35	35	105	190	32	●	B-99	
4AGEL35	35	105	190	32	●	B-101	
AGLHV35	35	105	190	32	●	B-104	
SGLHV35	35	105	190	32	●	B-115	
SL2GE35	35	105	190	32	●	B-119	
SL4GE35	35	105	190	32	●	B-122	
SL2SE35	35	105	190	32	●	B-127	
SL4SE35	35	105	190	32	●	B-131	
SL6HV35	35	105	190	32	●	B-135	
AGREL35	35	106	180	32	●	B-103	
SGFREL35	35	106	180	32	●	B-113	
LRE35	35	115	200	32	●	B-133	
ELHV35X205	35	120	205	32	□	B-135	
AGELHV35X150	35	150	235	32	□	B-105	
SGELHV35X235	35	150	235	32	□	B-115	
ELHV35X235	35	150	235	32	□	B-135	
AGELHV35X200	35	200	285	32	□	B-105	

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
SGELHV35X285	35	200	285	32	□	B-115	
ELHV35X285	35	200	285	32	□	B-135	
2AGE36	36	60	145	32	●	B-98	
4AGE36	36	60	145	32	●	B-100	
2SGE36	36	60	145	32	□	B-109	
2GE36	36	60	145	32	●	B-118	
3GE36	36	60	145	32	●	B-120	
4GE36	36	60	145	32	●	B-121	
2SE36	36	60	145	32	●	B-126	
4SE36	36	60	145	32	●	B-128	
6HV36	36	60	145	32	●	B-134	
2AGEL36	36	105	190	32	●	B-99	
4AGEL36	36	105	190	32	●	B-101	
SL2GE36	36	105	190	32	●	B-119	
SL4GE36	36	105	190	32	●	B-122	
SL2SE36	36	105	190	32	●	B-127	
SL4SE36	36	105	190	32	●	B-131	
2AGE37	37	65	150	32	●	B-98	
4AGE37	37	65	150	32	●	B-100	
2SGE37	37	65	150	32	□	B-109	
2GE37	37	65	150	32	●	B-118	
3GE37	37	65	150	32	●	B-120	
4GE37	37	65	150	32	●	B-121	
2SE37	37	65	150	32	●	B-126	
4SE37	37	65	150	32	●	B-129	
6HV37	37	65	150	32	●	B-134	
2AGEL37	37	125	210	32	●	B-99	
4AGEL37	37	125	210	32	●	B-101	
SL2GE37	37	125	210	32	●	B-119	
SL4GE37	37	125	210	32	●	B-122	
SL2SE37	37	125	210	32	●	B-127	
SL4SE37	37	125	210	32	●	B-131	
2AGE38	38	65	150	32	●	B-98	
4AGE38	38	65	150	32	●	B-100	
2SGE38	38	65	150	32	□	B-109	
2GE38	38	65	150	32	●	B-118	
3GE38	38	65	150	32	●	B-120	
4GE38	38	65	150	32	●	B-121	
2SE38	38	65	150	32	●	B-126	
4SE38	38	65	150	32	●	B-129	
6HV38	38	65	150	32	●	B-134	
ELHV38X205	38	120	205	32	□	B-135	
2AGEL38	38	125	210	32	●	B-99	
4AGEL38	38	125	210	32	●	B-101	
SL2GE38	38	125	210	32	●	B-119	
SL4GE38	38	125	210	32	●	B-122	
SL2SE38	38	125	210	32	●	B-127	
SL4SE38	38	125	210	32	●	B-131	
AGELHV38X150	38	150	235	32	□	B-105	
SGELHV38X235	38	150	235	32	□	B-115	
ELHV38X235	38	150	235	32	□	B-135	
AGELHV38X200	38	200	285	32	□	B-105	
SGELHV38X285	38	200	285	32	□	B-115	
ELHV38X285	38	200	285	32	□	B-135	
2AGE39	39	65	150	32	●	B-98	
4AGE39	39	65	150	32	●	B-100	
2SGE39	39	65	150	32	□	B-109	
2GE39	39	65	150	32	●	B-118	
3GE39	39	65	150	32	●	B-120	

# ハイスエンドミル スクエア

# 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
4GE39	39	65		150	32	●	B-121
2SE39	39	65		150	32	●	B-126
4SE39	39	65		150	32	●	B-129
6HV39	39	65		150	32	●	B-134
2AGEL39	39	125		210	32	●	B-99
4AGEL39	39	125		210	32	●	B-101
SL2GE39	39	125		210	32	●	B-119
SL4GE39	39	125		210	32	●	B-122
SL2SE39	39	125		210	32	●	B-127
SL4SE39	39	125		210	32	●	B-131
AGRES40	40	63		200	32	●	B-102
AGREX40	40	63		250	32	□	B-103
AGREU40	40	63		310	32	□	B-103
SGFRE40	40	63		200	32	●	B-112
SGFREX40	40	63		250	32	●	B-114
SGFREU40	40	63		310	32	●	B-114
2AGE40	40	65		150	32	●	B-98
4AGE40	40	65		150	32	●	B-100
AGRERS40	40	65		150	32	●	B-101
AGHV40	40	65		150	32	●	B-104
2SGE40	40	65		150	32	□	B-109
SGFRERS40	40	65		150	32	●	B-111
SGHV40	40	65		150	32	●	B-114
2GE40	40	65		150	32	●	B-118
3GE40	40	65		150	32	●	B-120
4GE40	40	65		150	32	●	B-121
2SE40	40	65		150	32	●	B-126
4SE40	40	65		150	32	●	B-129
SRE40	40	65		150	32	●	B-132
6HV40	40	65		150	32	●	B-134
AGREM40	40	95		200	32	●	B-102
SGFREM40	40	95		200	32	●	B-112
SGLREM40	40	95		200	32	●	B-113
MRE40	40	100		185	32	●	B-133
ELHV40X205	40	120		205	32	□	B-135
2AGEL40	40	125		210	32	●	B-99
4AGEL40	40	125		210	32	●	B-101
AGREL40	40	125		200	32	●	B-103
AGLHV40	40	125		210	32	●	B-104
SGFREL40	40	125		200	32	●	B-113
SGLHV40	40	125		210	32	●	B-115
SL2GE40	40	125		210	32	●	B-119
SL4GE40	40	125		210	32	●	B-122
SL2SE40	40	125		210	32	●	B-127
SL4SE40	40	125		210	32	●	B-131
LRE40	40	125		210	32	●	B-133
SL6HV40	40	125		210	32	●	B-135
AGELHV40X150	40	150		235	42	□	B-105
SGELHV40X235	40	150		235	42	□	B-115
ELHV40X235	40	150		235	32	□	B-135
AGELHV40X200	40	200		285	42	□	B-105
SGELHV40X285	40	200		285	42	□	B-115
ELHV40X285	40	200		285	32	□	B-135
AGELHV40X250	40	250		340	42	□	B-105
SGELHV40X340	40	250		340	42	□	B-115
ELHV40X335	40	250		335	32	□	B-135
6HV41	41	65		155	32	□	B-134
2AGE42	42	65		150	32	●	B-98
2AGE42X42	42	65		155	42	●	B-98

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
4AGE42	42	65		150	32	●	B-100
4AGE42X42	42	65		155	42	●	B-100
2SGE42X32	42	65		155	32	□	B-109
2SGE42X42	42	65		155	42	□	B-109
2GE42	42	65		150	32	●	B-118
2GE42X42	42	65		155	42	●	B-118
4GE42	42	65		150	32	●	B-121
4GE42X42	42	65		155	42	●	B-121
2SE42	42	65		150	32	●	B-126
2SE42X42	42	65		155	42	●	B-126
4SE42	42	65		150	32	●	B-129
4SE42X42	42	65		155	42	●	B-129
6HV42	42	65		155	32	●	B-134
6HV42X42	42	65		155	42	●	B-134
6HV43	43	65		155	42	□	B-134
6HV44	44	65		155	42	□	B-134
AGRES45	45	63		200	42	●	B-102
AGREX45	45	63		250	42	□	B-103
AGREU45	45	63		310	42	□	B-103
SGFRE45	45	63		200	42	●	B-112
2AGE45	45	70		155	32	●	B-98
2AGE45X42	45	70		160	42	●	B-98
4AGE45	45	70		155	32	●	B-100
4AGE45X42	45	70		160	42	●	B-100
AGRERS45	45	70		155	42	●	B-101
AGHV45	45	70		160	32	●	B-104
AGHV45X42	45	70		160	42	●	B-104
2SGE45X32	45	70		160	32	□	B-109
2SGE45X42	45	70		160	42	□	B-109
SGFRERS45	45	70		155	42	●	B-111
SGHV45X32	45	70		160	32	●	B-114
SGHV45X42	45	70		160	42	●	B-114
2GE45	45	70		155	32	●	B-118
2GE45X42	45	70		160	42	●	B-118
4GE45	45	70		155	32	●	B-121
4GE45X42	45	70		160	42	●	B-121
2SE45	45	70		155	32	●	B-126
2SE45X42	45	70		160	42	●	B-126
4SE45	45	70		155	32	●	B-129
4SE45X42	45	70		160	42	●	B-129
SRE45	45	70		155	42	●	B-132
6HV45	45	70		160	32	●	B-134
6HV45X42	45	70		160	42	●	B-134
AGREM45	45	95		200	42	●	B-102
SGFREM45	45	95		200	42	●	B-112
SGLREM45	45	95		200	42	●	B-113
MRE45	45	110		195	42	●	B-133
AGREL45	45	125		230	42	●	B-103
SGFREL45	45	125		230	42	●	B-113
LRE45	45	130		230	42	●	B-133
AGLHV45	45	145		230	32	●	B-104
AGLHV45X42	45	145		230	42	●	B-104
SGLHV45X32	45	145		230	32	●	B-115
SGLHV45X42	45	145		230	42	●	B-115
SL6HV45	45	145		230	32	●	B-135
SL6HV45X42	45	145		230	42	●	B-135
ELHV45X240	45	150		240	42	□	B-135
AGELHV45X200	45	200		290	42	□	B-105
SGELHV45X290	45	200		290	42	□	B-115



# ハイスエンドミル スクエア

## 外径別寸法表

NACHI 切削工具2013-2014 表示頁

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
ELHV45X290	45	200		290	42	□	<b>B-135</b>
AGELHV45X250	45	250		340	42	□	<b>B-105</b>
SGELHV45X340	45	250		340	42	□	<b>B-115</b>
ELHV45X340	45	250		340	42	□	<b>B-135</b>
6HV46	46	70		160	42	□	<b>B-134</b>
6HV47	47	70		160	42	□	<b>B-134</b>
2AGE48	48	70		155	32	●	<b>B-98</b>
2AGE48X42	48	70		160	42	●	<b>B-98</b>
4AGE48	48	70		155	32	●	<b>B-100</b>
4AGE48X42	48	70		160	42	●	<b>B-100</b>
2SGE48X32	48	70		160	32	□	<b>B-109</b>
2SGE48X42	48	70		160	42	□	<b>B-109</b>
2GE48	48	70		155	32	●	<b>B-118</b>
2GE48X42	48	70		160	42	●	<b>B-118</b>
4GE48	48	70		155	32	●	<b>B-121</b>
4GE48X42	48	70		160	42	●	<b>B-121</b>
2SE48	48	70		155	32	●	<b>B-126</b>
2SE48X42	48	70		160	42	●	<b>B-126</b>
4SE48	48	70		155	32	●	<b>B-129</b>
4SE48X42	48	70		160	42	●	<b>B-129</b>
6HV48	48	70		160	32	●	<b>B-134</b>
6HV48X42	48	70		160	42	●	<b>B-134</b>
ELHV48X240	48	150		240	42	□	<b>B-135</b>
6HV49	49	70		160	42	□	<b>B-134</b>
2AGE50	50	70		155	32	●	<b>B-98</b>
2AGE50X42	50	70		160	42	●	<b>B-98</b>
4AGE50	50	70		155	32	●	<b>B-100</b>
4AGE50X42	50	70		160	42	●	<b>B-100</b>
AGRERS50	50	70		160	42	●	<b>B-101</b>
AGHV50	50	70		160	32	●	<b>B-104</b>
AGHV50X42	50	70		160	42	●	<b>B-104</b>
2SGE50X32	50	70		160	32	□	<b>B-109</b>
2SGE50X42	50	70		160	42	□	<b>B-109</b>
SGFRERS50	50	70		160	42	●	<b>B-111</b>
SGHV50X32	50	70		160	32	●	<b>B-114</b>
SGHV50X42	50	70		160	42	●	<b>B-114</b>
2GE50	50	70		155	32	●	<b>B-118</b>
2GE50X42	50	70		160	42	●	<b>B-118</b>
4GE50	50	70		155	32	●	<b>B-121</b>
4GE50X42	50	70		160	42	●	<b>B-121</b>
2SE50	50	70		155	32	●	<b>B-126</b>
2SE50X42	50	70		160	42	●	<b>B-126</b>
4SE50	50	70		155	32	●	<b>B-129</b>
4SE50X42	50	70		160	42	●	<b>B-129</b>
SRE50	50	70		160	42	●	<b>B-132</b>
6HV50	50	70		160	32	●	<b>B-134</b>
6HV50X42	50	70		160	42	●	<b>B-134</b>
AGRES50	50	75		220	42	●	<b>B-102</b>
AGREX50	50	75		280	42	□	<b>B-103</b>
AGREU50	50	75		350	42	□	<b>B-103</b>
SGFRE50	50	75		220	42	●	<b>B-112</b>
SGFREX50	50	75		280	42	●	<b>B-114</b>
SGFREU50	50	75		350	42	●	<b>B-114</b>
AGREM50	50	112		220	42	●	<b>B-102</b>
SGFREM50	50	112		220	42	●	<b>B-112</b>
MRE50	50	120		205	42	●	<b>B-133</b>
SGLREM50	50	122		220	42	●	<b>B-113</b>
LRE50	50	140		250	42	●	<b>B-133</b>
AGLHV50	50	145		230	32	●	<b>B-104</b>

商品記号	外径	刃長	首下長	全長	シャンク径	在庫	頁
AGLHV50X42	50	145		230	42	●	<b>B-104</b>
SGLHV50X32	50	145		230	32	●	<b>B-115</b>
SGLHV50X42	50	145		230	42	●	<b>B-115</b>
SL6HV50	50	145		230	32	●	<b>B-135</b>
SL6HV50X42	50	145		230	42	●	<b>B-135</b>
AGREL50	50	150		250	42	●	<b>B-103</b>
SGFREL50	50	150		250	42	●	<b>B-113</b>
ELHV50X240	50	150		240	42	□	<b>B-135</b>
AGELHV50X200	50	200		290	42	□	<b>B-105</b>
SGELHV50X290	50	200		290	42	□	<b>B-115</b>
ELHV50X290	50	200		290	42	□	<b>B-135</b>
AGELHV50X250	50	250		340	42	□	<b>B-105</b>
SGELHV50X340	50	250		340	42	□	<b>B-115</b>
ELHV50X340	50	250		340	42	□	<b>B-135</b>
AGELHV50X300	50	300		390	42	□	<b>B-105</b>
SGELHV50X390	50	300		390	42	□	<b>B-115</b>
ELHV55X240	55	150		240	42	□	<b>B-135</b>
ELHV55X290	55	200		290	42	□	<b>B-135</b>
ELHV55X340	55	250		340	42	□	<b>B-135</b>
ELHV60X240	60	150		240	42	□	<b>B-135</b>
ELHV60X290	60	200		290	42	□	<b>B-135</b>
ELHV60X340	60	250		340	42	□	<b>B-135</b>