

商品記号	直径	溝長	全長	MT NO.	在庫	頁	商品記号	直径	溝長	全長	MT NO.	在庫	頁
GTDOH10.0X250	10	150	250	2	□	A-229	GLTDOH13.5X500	13.5	350	500	2	□	A-231
COTDOH10.5X23	10.5	90	230	2	□	A-230	GLTDOH13.5X600	13.5	400	600	2	□	A-231
COTDOH10.5X123	10.5	90	275	1	□	A-230	COTDOH14.0X23	14	90	230	2	□	A-230
GTDOH10.5X250	10.5	150	250	2	□	A-229	COTDOH14.0X123	14	90	275	1	□	A-230
GLTDOH10.5X300	10.5	200	300	2	□	A-231	GTDOH14.0X250	14	150	250	2	□	A-229
GLTDOH10.5X350	10.5	230	350	2	□	A-231	GLTDOH14.0X300	14	200	300	2	□	A-231
GLTDOH10.5X400	10.5	280	400	2	□	A-231	GLTDOH14.0X350	14	230	350	2	□	A-231
COTDOH11.0X23	11	90	230	2	□	A-230	GLTDOH14.0X400	14	280	400	2	□	A-231
COTDOH11.0X123	11	90	275	1	□	A-230	GLTDOH14.0X450	14	300	450	2	□	A-231
GTDOH11.0X250	11	150	250	2	□	A-229	GLTDOH14.0X500	14	350	500	2	□	A-231
GLTDOH11.0X300	11	200	300	2	□	A-231	GLTDOH14.0X600	14	400	600	2	□	A-231
GLTDOH11.0X350	11	230	350	2	□	A-231	GLTDOH14.0X800	14	600	800	2	□	A-231
GLTDOH11.0X400	11	280	400	2	□	A-231	COTDOH14.5X23	14.5	90	230	2	□	A-230
GLTDOH11.0X450	11	300	450	2	□	A-231	COTDOH14.5X123	14.5	90	305	2	□	A-230
GLTDOH11.0X500	11	350	500	2	□	A-231	GTDOH14.5X300	14.5	200	300	2	□	A-229
GLTDOH11.0X600	11	400	600	2	□	A-231	GLTDOH14.5X350	14.5	230	350	2	□	A-231
GLTDOH11.0X800	11	600	800	2	□	A-231	GLTDOH14.5X400	14.5	260	400	2	□	A-231
COTDOH11.5X23	11.5	90	230	2	□	A-230	GLTDOH14.5X500	14.5	350	500	2	□	A-231
COTDOH11.5X123	11.5	90	275	1	□	A-230	GLTDOH14.5X600	14.5	400	600	2	□	A-231
GTDOH11.5X250	11.5	150	250	2	□	A-229	COTDOH15.0X23	15	90	270	2	□	A-230
GLTDOH11.5X300	11.5	200	300	2	□	A-231	COTDOH15.0X123	15	90	305	2	□	A-230
GLTDOH11.5X350	11.5	230	350	2	□	A-231	GTDOH15.0X250	15	150	250	2	□	A-229
GLTDOH11.5X400	11.5	280	400	2	□	A-231	GTDOH15.0X300	15	200	300	2	□	A-229
COTDOH12.0X23	12	90	230	2	□	A-230	GLTDOH15.0X350	15	220	350	3	□	A-231
COTDOH12.0X123	12	90	275	1	□	A-230	GLTDOH15.0X400	15	260	400	3	□	A-231
GTDOH12.0X250	12	150	250	2	□	A-229	GLTDOH15.0X500	15	350	500	3	□	A-231
GLTDOH12.0X300	12	200	300	2	□	A-231	GLTDOH15.0X600	15	400	600	3	□	A-231
GLTDOH12.0X350	12	230	350	2	□	A-231	GLTDOH15.0X800	15	600	800	3	□	A-231
GLTDOH12.0X400	12	280	400	2	□	A-231	COTDOH15.5X23	15.5	90	270	2	□	A-230
GLTDOH12.0X450	12	300	450	2	□	A-231	COTDOH15.5X123	15.5	90	305	2	□	A-230
GLTDOH12.0X500	12	350	500	2	□	A-231	GTDOH15.5X300	15.5	200	300	2	□	A-229
GLTDOH12.0X600	12	400	600	2	□	A-231	GLTDOH15.5X350	15.5	220	350	3	□	A-231
GLTDOH12.0X800	12	600	800	2	□	A-231	GLTDOH15.5X400	15.5	260	400	3	□	A-231
COTDOH12.5X23	12.5	90	230	2	□	A-230	GLTDOH15.5X500	15.5	350	500	3	□	A-231
COTDOH12.5X123	12.5	90	275	1	□	A-230	GLTDOH15.5X600	15.5	400	600	3	□	A-231
GTDOH12.5X250	12.5	150	250	2	□	A-229	COTDOH16.0X23	16	90	270	2	□	A-230
GLTDOH12.5X300	12.5	200	300	2	□	A-231	COTDOH16.0X123	16	90	305	2	□	A-230
GLTDOH12.5X350	12.5	230	350	2	□	A-231	GTDOH16.0X250	16	150	250	2	□	A-229
GLTDOH12.5X400	12.5	280	400	2	□	A-231	GTDOH16.0X300	16	200	300	2	□	A-229
GLTDOH12.5X450	12.5	300	450	2	□	A-231	GLTDOH16.0X350	16	220	350	3	□	A-231
GLTDOH12.5X500	12.5	350	500	2	□	A-231	GLTDOH16.0X400	16	260	400	3	□	A-231
GLTDOH12.5X600	12.5	400	600	2	□	A-231	GLTDOH16.0X450	16	300	450	3	□	A-231
COTDOH13.0X23	13	90	230	2	□	A-230	GLTDOH16.0X500	16	350	500	3	□	A-231
COTDOH13.0X123	13	90	275	1	□	A-230	GLTDOH16.0X600	16	400	600	3	□	A-231
GTDOH13.0X250	13	150	250	2	□	A-229	GLTDOH16.0X800	16	600	800	3	□	A-231
GLTDOH13.0X300	13	200	300	2	□	A-231	COTDOH16.5X23	16.5	90	270	2	□	A-230
GLTDOH13.0X350	13	230	350	2	□	A-231	COTDOH16.5X123	16.5	90	305	2	□	A-230
GLTDOH13.0X400	13	280	400	2	□	A-231	GTDOH16.5X300	16.5	200	300	2	□	A-229
GLTDOH13.0X450	13	300	450	2	□	A-231	GLTDOH16.5X350	16.5	220	350	3	□	A-231
GLTDOH13.0X500	13	350	500	2	□	A-231	GLTDOH16.5X400	16.5	260	400	3	□	A-231
GLTDOH13.0X600	13	400	600	2	□	A-231	GLTDOH16.5X500	16.5	350	500	3	□	A-231
GLTDOH13.0X800	13	600	800	2	□	A-231	GLTDOH16.5X600	16.5	400	600	3	□	A-231
COTDOH13.5X23	13.5	90	230	2	□	A-230	COTDOH17.0X23	17	90	270	2	□	A-230
COTDOH13.5X123	13.5	90	275	1	□	A-230	COTDOH17.0X123	17	90	305	2	□	A-230
GTDOH13.5X250	13.5	150	250	2	□	A-229	GTDOH17.0X250	17	150	250	2	□	A-229
GLTDOH13.5X300	13.5	200	300	2	□	A-231	GTDOH17.0X300	17	200	300	2	□	A-229
GLTDOH13.5X350	13.5	230	350	2	□	A-231	GLTDOH17.0X350	17	220	350	3	□	A-231
GLTDOH13.5X400	13.5	280	400	2	□	A-231	GLTDOH17.0X400	17	260	400	3	□	A-231
GLTDOH13.5X450	13.5	300	450	2	□	A-231	GLTDOH17.0X450	17	300	450	3	□	A-231

商品記号	直径	溝長	全長	MT NO.	在庫	頁	商品記号	直径	溝長	全長	MT NO.	在庫	頁
GLTDOH17.0X500	17	350	500	3	□	A-231	COTDOH21.0X123	21	90	335	2	□	A-230
GLTDOH17.0X600	17	400	600	3	□	A-231	GTDOH21.0X300	21	200	300	2	□	A-229
GLTDOH17.0X800	17	600	800	3	□	A-231	GLTDOH21.0X400	21	260	400	3	□	A-232
COTDOH17.5X23	17.5	90	270	2	□	A-230	GLTDOH21.0X500	21	350	500	3	□	A-232
COTDOH17.5X123	17.5	90	305	2	□	A-230	GLTDOH21.0X600	21	400	600	3	□	A-232
GTDOH17.5X300	17.5	200	300	2	□	A-229	GLTDOH21.0X800	21	600	800	3	□	A-232
GLTDOH17.5X350	17.5	220	350	3	□	A-231	COTDOH21.5X23	21.5	90	300	3	□	A-230
GLTDOH17.5X400	17.5	260	400	3	□	A-231	COTDOH21.5X123	21.5	90	335	2	□	A-230
GLTDOH17.5X500	17.5	350	500	3	□	A-231	GTDOH21.5X300	21.5	200	300	2	□	A-229
GLTDOH17.5X600	17.5	400	600	3	□	A-231	GLTDOH21.5X400	21.5	260	400	3	□	A-232
COTDOH18.0X23	18	90	300	3	□	A-230	GLTDOH21.5X500	21.5	350	500	3	□	A-232
COTDOH18.0X123	18	90	335	2	□	A-230	GLTDOH21.5X600	21.5	400	600	3	□	A-232
GTDOH18.0X250	18	150	250	2	□	A-229	COTDOH22.0X23	22	90	300	3	□	A-230
GTDOH18.0X300	18	200	300	2	□	A-229	COTDOH22.0X123	22	90	335	2	□	A-230
GLTDOH18.0X350	18	220	350	3	□	A-232	GTDOH22.0X300	22	200	300	2	□	A-229
GLTDOH18.0X400	18	260	400	3	□	A-232	GLTDOH22.0X400	22	260	400	3	□	A-232
GLTDOH18.0X450	18	300	450	3	□	A-232	GLTDOH22.0X500	22	350	500	3	□	A-232
GLTDOH18.0X500	18	350	500	3	□	A-232	GLTDOH22.0X600	22	400	600	3	□	A-232
GLTDOH18.0X600	18	400	600	3	□	A-232	GLTDOH22.0X800	22	600	800	3	□	A-232
GLTDOH18.0X800	18	600	800	3	□	A-232	COTDOH22.5X23	22.5	90	300	3	□	A-230
COTDOH18.5X23	18.5	90	300	3	□	A-230	COTDOH22.5X123	22.5	90	335	2	□	A-230
COTDOH18.5X123	18.5	90	335	2	□	A-230	GTDOH22.5X300	22.5	200	300	2	□	A-229
GTDOH18.5X300	18.5	200	300	2	□	A-229	GLTDOH22.5X400	22.5	260	400	3	□	A-232
GLTDOH18.5X350	18.5	220	350	3	□	A-232	GLTDOH22.5X500	22.5	350	500	3	□	A-232
GLTDOH18.5X400	18.5	260	400	3	□	A-232	GLTDOH22.5X600	22.5	400	600	3	□	A-232
GLTDOH18.5X500	18.5	350	500	3	□	A-232	COTDOH23.0X23	23	90	300	3	□	A-230
GLTDOH18.5X600	18.5	400	600	3	□	A-232	COTDOH23.0X123	23	90	355	2	□	A-230
COTDOH19.0X23	19	90	300	3	□	A-230	GTDOH23.0X300	23	200	300	2	□	A-229
COTDOH19.0X123	19	90	335	2	□	A-230	GLTDOH23.0X400	23	260	400	3	□	A-232
GTDOH19.0X300	19	200	300	2	□	A-229	GLTDOH23.0X500	23	350	500	3	□	A-232
GLTDOH19.0X350	19	220	350	3	□	A-232	GLTDOH23.0X600	23	400	600	3	□	A-232
GLTDOH19.0X400	19	260	400	3	□	A-232	GLTDOH23.0X800	23	600	800	3	□	A-232
GLTDOH19.0X450	19	300	450	3	□	A-232	COTDOH23.5X23	23.5	90	330	3	□	A-230
GLTDOH19.0X500	19	350	500	3	□	A-232	COTDOH23.5X123	23.5	90	355	3	□	A-230
GLTDOH19.0X600	19	400	600	3	□	A-232	GTDOH23.5X400	23.5	270	400	3	□	A-229
GLTDOH19.0X800	19	600	800	3	□	A-232	GLTDOH23.5X500	23.5	350	500	3	□	A-232
COTDOH19.5X23	19.5	90	300	3	□	A-230	GLTDOH23.5X600	23.5	400	600	3	□	A-232
COTDOH19.5X123	19.5	90	335	2	□	A-230	COTDOH24.0X23	24	90	330	3	□	A-230
GTDOH19.5X300	19.5	200	300	2	□	A-229	COTDOH24.0X123	24	90	355	3	□	A-230
GLTDOH19.5X350	19.5	220	350	3	□	A-232	GTDOH24.0X400	24	270	400	3	□	A-229
GLTDOH19.5X400	19.5	260	400	3	□	A-232	GLTDOH24.0X500	24	340	500	4	□	A-232
GLTDOH19.5X500	19.5	350	500	3	□	A-232	GLTDOH24.0X600	24	440	600	4	□	A-232
GLTDOH19.5X600	19.5	400	600	3	□	A-232	GLTDOH24.0X800	24	600	800	4	□	A-232
COTDOH20.0X23	20	90	300	3	□	A-230	COTDOH24.5X23	24.5	90	330	3	□	A-230
COTDOH20.0X123	20	90	335	2	□	A-230	COTDOH24.5X123	24.5	90	355	3	□	A-230
GTDOH20.0X300	20	200	300	2	□	A-229	GTDOH24.5X400	24.5	270	400	3	□	A-229
GLTDOH20.0X350	20	220	350	3	□	A-232	GLTDOH24.5X500	24.5	340	500	4	□	A-232
GLTDOH20.0X400	20	260	400	3	□	A-232	GLTDOH24.5X600	24.5	440	600	4	□	A-232
GLTDOH20.0X450	20	300	450	3	□	A-232	COTDOH25.0X23	25	90	330	3	□	A-230
GLTDOH20.0X500	20	350	500	3	□	A-232	COTDOH25.0X123	25	90	355	3	□	A-230
GLTDOH20.0X600	20	400	600	3	□	A-232	GTDOH25.0X400	25	270	400	3	□	A-229
GLTDOH20.0X800	20	600	800	3	□	A-232	GLTDOH25.0X500	25	340	500	4	□	A-232
COTDOH20.5X23	20.5	90	300	3	□	A-230	GLTDOH25.0X600	25	440	600	4	□	A-232
COTDOH20.5X123	20.5	90	335	2	□	A-230	GLTDOH25.0X800	25	600	800	4	□	A-232
GTDOH20.5X300	20.5	200	300	2	□	A-229	COTDOH25.5X23	25.5	90	330	3	□	A-230
GLTDOH20.5X400	20.5	260	400	3	□	A-232	COTDOH25.5X123	25.5	90	355	3	□	A-230
GLTDOH20.5X500	20.5	350	500	3	□	A-232	GTDOH25.5X400	25.5	270	400	3	□	A-229
GLTDOH20.5X600	20.5	400	600	3	□	A-232	GLTDOH25.5X500	25.5	340	500	4	□	A-232
COTDOH21.0X23	21	90	300	3	□	A-230	GLTDOH25.5X600	25.5	440	600	4	□	A-232

商品記号	直径	溝長	全長	MT NO.	在庫	頁	商品記号	直径	溝長	全長	MT NO.	在庫	頁
COTDOH26.0X23	26	90	330	3	□	A-230	GLTDOH31.0X600	31	440	600	4	□	A-232
COTDOH26.0X123	26	90	355	3	□	A-230	GLTDOH31.0X800	31	600	800	4	□	A-232
GTDOH26.0X400	26	270	400	3	□	A-229	COTDOH31.5X23	31.5	90	370	4	□	A-230
GLTDOH26.0X500	26	340	500	4	□	A-232	COTDOH31.5X123	31.5	90	405	3	□	A-230
GLTDOH26.0X600	26	440	600	4	□	A-232	GTDOH31.5X400	31.5	270	400	3	□	A-229
GLTDOH26.0X800	26	600	800	4	□	A-232	GLTDOH31.5X500	31.5	340	500	4	□	A-232
COTDOH26.5X23	26.5	90	330	3	□	A-230	GLTDOH31.5X600	31.5	440	600	4	□	A-232
COTDOH26.5X123	26.5	90	380	3	□	A-230	COTDOH32.0X23	32	90	370	4	□	A-230
GTDOH26.5X400	26.5	270	400	3	□	A-229	COTDOH32.0X123	32	90	405	3	□	A-230
GLTDOH26.5X500	26.5	340	500	4	□	A-232	GTDOH32.0X400	32	270	400	3	□	A-229
GLTDOH26.5X600	26.5	440	600	4	□	A-232	GLTDOH32.0X500	32	340	500	4	□	A-232
COTDOH27.0X23	27	90	370	4	□	A-230	GLTDOH32.0X600	32	440	600	4	□	A-232
COTDOH27.0X123	27	90	380	3	□	A-230	GLTDOH32.0X800	32	600	800	4	□	A-232
GTDOH27.0X400	27	270	400	3	□	A-229	GTDOH32.5X450	32.5	280	450	4	□	A-229
GLTDOH27.0X500	27	340	500	4	□	A-232	COTDOH33.0X123	33	90	480	4	□	A-230
GLTDOH27.0X600	27	440	600	4	□	A-232	GTDOH33.0X450	33	280	450	4	□	A-229
GLTDOH27.0X800	27	600	800	4	□	A-232	GLTDOH33.0X600	33	440	600	4	□	A-232
COTDOH27.5X23	27.5	90	370	4	□	A-230	GLTDOH33.0X800	33	600	800	4	□	A-232
COTDOH27.5X123	27.5	90	380	3	□	A-230	GTDOH33.5X450	33.5	280	450	4	□	A-229
GTDOH27.5X400	27.5	270	400	3	□	A-229	COTDOH34.0X123	34	90	480	4	□	A-230
GLTDOH27.5X500	27.5	340	500	4	□	A-232	GTDOH34.0X450	34	280	450	4	□	A-229
GLTDOH27.5X600	27.5	440	600	4	□	A-232	GLTDOH34.0X600	34	440	600	4	□	A-232
COTDOH28.0X23	28	90	370	4	□	A-230	GLTDOH34.0X800	34	600	800	4	□	A-232
COTDOH28.0X123	28	90	380	3	□	A-230	GTDOH34.5X450	34.5	280	450	4	□	A-229
GTDOH28.0X400	28	270	400	3	□	A-229	COTDOH35.0X123	35	90	480	4	□	A-230
GLTDOH28.0X500	28	340	500	4	□	A-232	GTDOH35.0X450	35	280	450	4	□	A-229
GLTDOH28.0X600	28	440	600	4	□	A-232	GLTDOH35.0X600	35	440	600	4	□	A-232
GLTDOH28.0X800	28	600	800	4	□	A-232	GLTDOH35.0X800	35	600	800	4	□	A-232
COTDOH28.5X23	28.5	90	370	4	□	A-230	GTDOH35.5X450	35.5	280	450	4	□	A-229
COTDOH28.5X123	28.5	90	380	3	□	A-230	COTDOH36.0X123	36	90	480	4	□	A-230
GTDOH28.5X400	28.5	270	400	3	□	A-229	GTDOH36.0X450	36	280	450	4	□	A-229
GLTDOH28.5X500	28.5	340	500	4	□	A-232	GLTDOH36.0X600	36	440	600	4	□	A-232
GLTDOH28.5X600	28.5	440	600	4	□	A-232	GLTDOH36.0X800	36	600	800	4	□	A-232
COTDOH29.0X23	29	90	370	4	□	A-230	GTDOH36.5X450	36.5	280	450	4	□	A-229
COTDOH29.0X123	29	90	380	3	□	A-230	COTDOH37.0X123	37	90	480	4	□	A-230
GTDOH29.0X400	29	270	400	3	□	A-229	GTDOH37.0X450	37	280	450	4	□	A-229
GLTDOH29.0X500	29	340	500	4	□	A-232	GLTDOH37.0X600	37	440	600	4	□	A-232
GLTDOH29.0X600	29	440	600	4	□	A-232	GLTDOH37.0X800	37	600	800	4	□	A-232
GLTDOH29.0X800	29	600	800	4	□	A-232	GTDOH37.5X450	37.5	280	450	4	□	A-229
COTDOH29.5X23	29.5	90	370	4	□	A-230	COTDOH38.0X123	38	90	480	4	□	A-230
COTDOH29.5X123	29.5	90	380	3	□	A-230	GTDOH38.0X450	38	280	450	4	□	A-229
GTDOH29.5X400	29.5	270	400	3	□	A-229	GLTDOH38.0X600	38	440	600	4	□	A-232
GLTDOH29.5X500	29.5	340	500	4	□	A-232	GLTDOH38.0X800	38	600	800	4	□	A-232
GLTDOH29.5X600	29.5	440	600	4	□	A-232	GTDOH38.5X450	38.5	280	450	4	□	A-229
COTDOH30.0X23	30	90	370	4	□	A-230	COTDOH39.0X123	39	90	480	4	□	A-230
COTDOH30.0X123	30	90	405	3	□	A-230	GTDOH39.0X450	39	280	450	4	□	A-229
GTDOH30.0X400	30	270	400	3	□	A-229	GLTDOH39.0X600	39	440	600	4	□	A-232
GLTDOH30.0X500	30	340	500	4	□	A-232	GLTDOH39.0X800	39	600	800	4	□	A-232
GLTDOH30.0X600	30	440	600	4	□	A-232	GTDOH39.5X450	39.5	280	450	4	□	A-229
GLTDOH30.0X800	30	600	800	4	□	A-232	COTDOH40.0X123	40	90	505	4	□	A-230
COTDOH30.5X23	30.5	90	370	4	□	A-230	GTDOH40.0X450	40	280	450	4	□	A-229
COTDOH30.5X123	30.5	90	405	3	□	A-230	GLTDOH40.0X600	40	440	600	4	□	A-232
GTDOH30.5X400	30.5	270	400	3	□	A-229	GLTDOH40.0X800	40	600	800	4	□	A-232
GLTDOH30.5X500	30.5	340	500	4	□	A-232	GTDOH40.5X450	40.5	280	450	4	□	A-229
GLTDOH30.5X600	30.5	440	600	4	□	A-232	COTDOH41.0X123	41	90	505	4	□	A-230
COTDOH31.0X23	31	90	370	4	□	A-230	GTDOH41.0X450	41	280	450	4	□	A-229
COTDOH31.0X123	31	90	405	3	□	A-230	GLTDOH41.0X600	41	440	600	4	□	A-232
GTDOH31.0X400	31	270	400	3	□	A-229	GLTDOH41.0X800	41	600	800	4	□	A-232
GLTDOH31.0X500	31	340	500	4	□	A-232	GTDOH41.5X450	41.5	280	450	4	□	A-229

ハイスドリル

テーパシャンク 油穴

直径別寸法表

NACHI 切削工具2015-2016 表示頁

商品記号	直径	溝長	全長	MT NO.	在庫	頁	商品記号	直径	溝長	全長	MT NO.	在庫	頁
COTDOH42.0X123	42	90	505	4	□	A-230							
GTDOH42.0X450	42	280	450	4	□	A-229							
GLTDOH42.0X600	42	440	600	4	□	A-232							
GLTDOH42.0X800	42	600	800	4	□	A-232							
GTDOH42.5X450	42.5	280	450	4	□	A-229							
COTDOH43.0X123	43	90	505	4	□	A-230							
GTDOH43.0X450	43	280	450	4	□	A-229							
GLTDOH43.0X600	43	440	600	4	□	A-232							
GLTDOH43.0X800	43	600	800	4	□	A-232							
GTDOH43.5X450	43.5	280	450	4	□	A-229							
COTDOH44.0X123	44	90	505	4	□	A-230							
GTDOH44.0X450	44	280	450	4	□	A-229							
GLTDOH44.0X600	44	440	600	4	□	A-232							
GLTDOH44.0X800	44	600	800	4	□	A-232							
GTDOH44.5X450	44.5	280	450	4	□	A-229							
COTDOH45.0X123	45	90	530	4	□	A-230							
GTDOH45.0X450	45	280	450	4	□	A-229							
GLTDOH45.0X600	45	440	600	4	□	A-232							
GLTDOH45.0X800	45	600	800	4	□	A-232							
GTDOH45.5X450	45.5	280	450	4	□	A-229							
COTDOH46.0X123	46	90	530	4	□	A-230							
GTDOH46.0X450	46	280	450	4	□	A-229							
GLTDOH46.0X600	46	440	600	4	□	A-232							
GLTDOH46.0X800	46	600	800	4	□	A-232							
GTDOH46.5X450	46.5	280	450	4	□	A-229							
COTDOH47.0X123	47	90	530	4	□	A-230							
GTDOH47.0X450	47	280	450	4	□	A-229							
GLTDOH47.0X600	47	440	600	4	□	A-232							
GLTDOH47.0X800	47	600	800	4	□	A-232							
GTDOH47.5X450	47.5	280	450	4	□	A-229							
COTDOH48.0X123	48	90	530	4	□	A-230							
GTDOH48.0X450	48	280	450	4	□	A-229							
GLTDOH48.0X600	48	440	600	4	□	A-232							
GLTDOH48.0X800	48	600	800	4	□	A-232							
GTDOH48.5X450	48.5	280	450	4	□	A-229							
COTDOH49.0X123	49	90	530	4	□	A-230							
GTDOH49.0X450	49	280	450	4	□	A-229							
GLTDOH49.0X600	49	440	600	4	□	A-232							
GLTDOH49.0X800	49	600	800	4	□	A-232							
GTDOH49.5X450	49.5	280	450	4	□	A-229							
COTDOH50.0X123	50	90	530	4	□	A-230							
GTDOH50.0X450	50	280	450	4	□	A-229							
GLTDOH50.0X600	50	440	600	4	□	A-232							
GLTDOH50.0X800	50	600	800	4	□	A-232							